

231900

**BACHEM** 

Revision: 07.04.2011 Printing date: 07.07.2016

	cation of the substance/mixture and of the company/undertaking	
<ul> <li>Product</li> </ul>	identifier	
Trade n	ame:	
	-Cys <sup>1</sup> ,D-Arg <sup>8</sup> )-Vasopressin acetate salt	
Desmop DDAVP	essin	
DDAVP		
Article r	umber:	
new: 401	2273 old: H-7675	
<ul> <li>CAS Nu</li> </ul>	mber:	
16679-58		
	t identified uses of the substance or mixture and uses advised against	
	ion of the substance / the preparation y chemicals	
Eaborato	y orientiduis	
Details	of the supplier of the safety data sheet	
Manufa	turer/Supplier:	
Bachem	AG	
Hauptstr		
CH-4416 Switzerla	Bubendorf	
	sds@bachem.com	
	8 595 2021	
Fax +41	58 595 2040	
Further	nformation obtainable from:	
	ent: Marketing	
-	ncy telephone number:	
+41 44 2	51 51 51 (Tox Info Suisse)	
	s identification	
02 Hazard		
	ation of the substance or mixture	
Classifie	ation of the substance or mixture ation according to Regulation (EC) No 1272/2008	
Classifie     Classifie		
Classifie		
Classifie     Classifie	ation according to Regulation (EC) No 1272/2008	
Classifie     Classifie	ation according to Regulation (EC) No 1272/2008	
Classifie     Classifie	ation according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled.	
<ul> <li>Classifie</li> <li>Classifie</li></ul>	ation according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled.	
<ul> <li>Classifie</li> <li>Classifie</li></ul>	Action according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements	
<ul> <li>Classifie</li> <li>Classifie</li></ul>	Action according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements	
<ul> <li>Classifie</li> <li>Classifie</li></ul>	Action according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements	
<ul> <li>Classifie</li> <li>Clas</li></ul>	Action according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements	
<ul> <li>Classifie</li> <li>Classifie</li></ul>	ation according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements g according to Regulation (EC) No 1272/2008	
<ul> <li>Classifie</li> <li>Clas</li></ul>	ation according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements g according to Regulation (EC) No 1272/2008	
<ul> <li>Classifie</li> <li>Classifie</li> <li>Classifie</li> <li>Classifie</li> <li>Classifie</li> <li>Acute To</li> <li>Label el</li> <li>Labellin</li> <li>Classifie</li> <li>Classifie<td>ation according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements g according to Regulation (EC) No 1272/2008</td><td></td></li></ul>	ation according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements g according to Regulation (EC) No 1272/2008	
<ul> <li>Classifie</li> <li>Classifie</li> <li>Classifie</li> <li>Classifie</li> <li>Classifie</li> <li>Acute To</li> <li>Label el</li> <li>Labellin</li> <li>Classifie</li> <li>Classifie</li> <li>GHS07</li> <li>Signal v</li> <li>Warning</li> <li>Hazard</li> </ul>	eation according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements g according to Regulation (EC) No 1272/2008	
<ul> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Acute To</li> <li>Label el</li> <li>Labellin</li> <li>Classifi</li> <li>GHS07</li> <li>Signal v</li> <li>Warning</li> <li>Hazard</li> <li>H332 Ha</li> <li>Precaut</li> </ul>	eation according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements g according to Regulation (EC) No 1272/2008 ord statements mful if inhaled. onary statements	
<ul> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Acute To</li> <li>Label el</li> <li>Labellin</li> <li>Labellin</li> <li>GHS07</li> <li>Signal v</li> <li>Warning</li> <li>Hazard</li> <li>Hazard</li> <li>Hazard</li> <li>Precaut</li> <li>P261 Av</li> </ul>	eation according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements g according to Regulation (EC) No 1272/2008 erord statements mful if inhaled. onary statements id breathing dust/fume/gas/mist/vapours/spray.	
<ul> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Acute To</li> <li>Label el</li> <li>Labellin</li> <li>Labellin</li> <li>GHS07</li> <li>Signal v</li> <li>Warning</li> <li>Hazard</li> <li>Hazard</li> <li>Hazard</li> <li>Precaut</li> <li>P261 Av</li> <li>P271 Us</li> </ul>	eation according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements g according to Regulation (EC) No 1272/2008 ord statements mful if inhaled. onary statements bid breathing dust/fume/gas/mist/vapours/spray. e only outdoors or in a well-ventilated area.	
<ul> <li>Classifie</li> <li>Classifie</li> <li>Classifie</li> <li>Classifie</li> <li>Classifie</li> <li>Acute To</li> <li>Label el</li> <li>Labellin</li> <li>Labellin</li> <li>GHS07</li> <li>Signal v</li> <li>Warning</li> <li>Hazard</li> <li>H332 Ha</li> <li>Precaute</li> <li>P261 Av</li> <li>P271 Us</li> <li>P304+P3</li> </ul>	Action according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements g according to Regulation (EC) No 1272/2008 ord statements mful if inhaled. onary statements bid breathing dust/fume/gas/mist/vapours/spray. e only outdoors or in a well-ventilated area. 40 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
<ul> <li>Classifie</li> <li>Classifie</li> <li>Classifie</li> <li>Classifie</li> <li>Classifie</li> <li>Acute To</li> <li>Label el</li> <li>Labellin</li> <li>Labellin</li> <li>GHS07</li> <li>Signal v</li> <li>Warning</li> <li>Hazard</li> <li>H332 Ha</li> <li>Precaute</li> <li>P261 Av</li> <li>P271 Us</li> <li>P304+P3</li> </ul>	Action according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements g according to Regulation (EC) No 1272/2008 ord statements mful if inhaled. onary statements bid breathing dust/fume/gas/mist/vapours/spray. e only outdoors or in a well-ventilated area. 40 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. I a POISON CENTER or doctor/physician if you feel unwell.	
<ul> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Acute To</li> <li>Label el</li> <li>Labellin</li> <li>Labellin</li> <li>GHS07</li> <li>Signal v</li> <li>Warning</li> <li>Hazard</li> <li>H332 Ha</li> <li>Precaut</li> <li>P261 Av</li> <li>P271 Us</li> <li>P304+P3</li> <li>P312 Ca</li> <li>Other h</li> </ul>	Action according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements g according to Regulation (EC) No 1272/2008 ord statements mful if inhaled. onary statements bid breathing dust/fume/gas/mist/vapours/spray. e only outdoors or in a well-ventilated area. 40 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. I a POISON CENTER or doctor/physician if you feel unwell.	
<ul> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Classifi</li> <li>Acute To</li> <li>Label el</li> <li>Labellin</li> <li>Labellin</li> <li>GHS07</li> <li>Signal v</li> <li>Warning</li> <li>Hazard</li> <li>H332 Ha</li> <li>Precaut</li> <li>P261 Av</li> <li>P271 Us</li> <li>P304+P3</li> <li>P312 Ca</li> <li>Other h</li> </ul>	Action according to Regulation (EC) No 1272/2008 GHS07 x. 4 - H332 Harmful if inhaled. ements g according to Regulation (EC) No 1272/2008 ord statements mful if inhaled. onary statements bid breathing dust/fume/gas/mist/vapours/spray. e only outdoors or in a well-ventilated area. 40 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. I a POISON CENTER or doctor/physician if you feel unwell. azards	(Contd. on page 2)



# Safety data sheet according to 1907/2006/EC, Article 31

231900

BACHEM

Revision: 07.04.2011 Printing date: 07.07.2016

#### **PRODUCT:** (Deamino-Cys1,D-Arg8)-Vasopressin acetate salt

(Contd. of page 1)

- Not applicable.
- vPvB:
- Not applicable.

#### 03 Composition/information on ingredients

Description

· Chemical characterization: Substances

#### CAS No.

- (Deamino-Cys1,D-Arg8)-Vasopressin 16679-58-6
- Identification number(s)
- · EINECS Number:
- RTECS Number:

# 04 First aid measures

- · General information:
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. · After inhalation:
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- Seek immediate medical advice.
- · After eye contact:
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call a doctor immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 05 Firefighting measures


- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

# 06 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Avoid formation of dust. Use respiratory protective device against the effects of fumes/dust/ aerosol. Wear protective clothing.
- · Environmental precautions:
- Suppress gases/fumes/haze with water spray.
- Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.

(Contd. on page 3)





231900

**BACHEM** 

Revision: 07.04.2011

(Contd. on page 4)

	Printing date: 07.
PRODUCT : (Deamino-Cys <sup>1</sup>	,D-Arg <sup>e</sup> )-Vasopressin acetate salt
	(Contd. of page 2)
07 Handling and storage	
Handling:	
<ul> <li>Precautions for safe handlin</li> </ul>	q
Thorough dedusting.	•
Ensure good ventilation/exhaus	tion at the workplace.
Open and handle receptacle wit	h care.
Prevent formation of dust.	
<ul> <li>Information about fire - and e</li> </ul>	explosion protection:
Keep respiratory protective dev	ice available.
Storage:	
Requirements to be met by	storerooms and receptacles:
No special requirements.	
Information about storage in	one common storage facility:
Store away from foodstuffs.	
<ul> <li>Further information about sto Keep container tightly sealed.</li> </ul>	Jrage contraitions.
Store in dry conditions.	
Recommended storage tem	perature:
-20 +/- 5 °C	h
<ul> <li>Specific end use(s)</li> </ul>	
No further relevant information a	available.
<ul> <li>Additional information: The lists valid during the making</li> <li>Personal protective equipment</li> </ul>	
<ul> <li>General protective and hygic</li> </ul>	
Keep away from foodstuffs, bev	
	5
Store protective clothing separa	tely.
<ul><li>Store protective clothing separa</li><li>Respiratory protection:</li></ul>	tely.
Respiratory protection: In case of brief exposure or low	tely. pollution use respiratory filter device. In case of intensive or longer exposure use self-contained
Respiratory protection: In case of brief exposure or low respiratory protective device.	
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands:</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation.
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture. on consideration of the penetration times, rates of diffusion and the degradation
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves The selection of the suitable glo</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves The selection of the suitable glo manufacturer to manufacturer.</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture. on consideration of the penetration times, rates of diffusion and the degradation wes does not only depend on the material, but also on further marks of quality and varies from
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves The selection of the suitable glo manufacturer to manufacturer.</li> <li>Penetration time of glove material</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture. on consideration of the penetration times, rates of diffusion and the degradation wes does not only depend on the material, but also on further marks of quality and varies from aterial
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves The selection of the suitable glo manufacturer to manufacturer.</li> <li>Penetration time of glove ma The exact break through time here</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture. on consideration of the penetration times, rates of diffusion and the degradation wes does not only depend on the material, but also on further marks of quality and varies from
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves The selection of the suitable glo manufacturer to manufacturer.</li> <li>Penetration time of glove material</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture. on consideration of the penetration times, rates of diffusion and the degradation wes does not only depend on the material, but also on further marks of quality and varies from aterial
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves The selection of the suitable glo manufacturer to manufacturer.</li> <li>Penetration time of glove ma The exact break through time has Eye protection:</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture. on consideration of the penetration times, rates of diffusion and the degradation wes does not only depend on the material, but also on further marks of quality and varies from aterial
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves The selection of the suitable glo manufacturer to manufacturer.</li> <li>Penetration time of glove ma The exact break through time has Eye protection:</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture. on consideration of the penetration times, rates of diffusion and the degradation wes does not only depend on the material, but also on further marks of quality and varies from aterial
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves The selection of the suitable glo manufacturer to manufacturer.</li> <li>Penetration time of glove ma The exact break through time has Eye protection: Safety glasses</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture. on consideration of the penetration times, rates of diffusion and the degradation wes does not only depend on the material, but also on further marks of quality and varies from aterial as to be found out by the manufacturer of the protective gloves and has to be observed.
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves The selection of the suitable glo manufacturer to manufacturer.</li> <li>Penetration time of glove ma The exact break through time has Eye protection: Safety glasses</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture. on consideration of the penetration times, rates of diffusion and the degradation wes does not only depend on the material, but also on further marks of quality and varies from aterial as to be found out by the manufacturer of the protective gloves and has to be observed.
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves The selection of the suitable glo manufacturer to manufacturer.</li> <li>Penetration time of glove ma The exact break through time has Eye protection: Safety glasses</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture. on consideration of the penetration times, rates of diffusion and the degradation wes does not only depend on the material, but also on further marks of quality and varies from aterial as to be found out by the manufacturer of the protective gloves and has to be observed.
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves The selection of the suitable glo manufacturer to manufacturer.</li> <li>Penetration time of glove ma The exact break through time has Eye protection: Safety glasses</li> <li>D9 Physical and chemical General Information</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture. on consideration of the penetration times, rates of diffusion and the degradation wes does not only depend on the material, but also on further marks of quality and varies from aterial as to be found out by the manufacturer of the protective gloves and has to be observed.
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves The selection of the suitable glo manufacturer to manufacturer.</li> <li>Penetration time of glove ma The exact break through time has Eye protection: Safety glasses</li> <li>D9 Physical and chemical General Information Appearance:</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture. on consideration of the penetration times, rates of diffusion and the degradation wes does not only depend on the material, but also on further marks of quality and varies from aterial as to be found out by the manufacturer of the protective gloves and has to be observed.
<ul> <li>Respiratory protection: In case of brief exposure or low respiratory protective device.</li> <li>Protection of hands: The glove material has to be im Due to missing tests no recomm Selection of the glove material of Protective gloves</li> <li>Material of gloves The selection of the suitable glo manufacturer to manufacturer.</li> <li>Penetration time of glove ma The exact break through time he Eye protection: Safety glasses</li> <li>Physical and chemical General Information Appearance: Form:</li> </ul>	pollution use respiratory filter device. In case of intensive or longer exposure use self-contained permeable and resistant to the product/ the substance/ the preparation. nendation to the glove material can be given for the product/ the preparation/ the chemical mixture. on consideration of the penetration times, rates of diffusion and the degradation wes does not only depend on the material, but also on further marks of quality and varies from aterial as to be found out by the manufacturer of the protective gloves and has to be observed. properties Powder

Not determined.

Undetermined.

1.069,2300 g/mol

Odour threshold:

Molecular Weight

Change in condition

Melting point/Melting range:



# Safety data sheet according to 1907/2006/EC, Article 31

231900

Revision: 07.04.2011 Printing date: 07.07.2016

	(Contd. of page 3)
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Self-igniting:	Not determined.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density:	Not determined.
Solubility in / Miscibility with	
water:	at 25 °C 50,00 g/l
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

# 10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials:
- No further relevant information available.
- · Dangerous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Acute toxicity:
- No further relevant information available.
- · Primary irritant effect:
- · on the skin:
- No further relevant information available. • on the eye:
- No further relevant information available.
- · Sensitization:
- No sensitizing effects known.

# 12 Ecological information

- · Acquatic toxicity:
- No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:



# Safety data sheet according to 1907/2006/EC, Article 31

231900

BACHEM

Revision: 07.04.2011 Printing date: 07.07.2016

	(Contd. of page 4)
General notes:	
Not known to be hazardous to water.	
<ul> <li>Results of PBT and vPvB assessment</li> </ul>	
• PBT:	
Not applicable.	
• vPvB:	
Not applicable.	
Other adverse effects	
No further relevant information available.	
3 Disposal considerations	
Waste treatment methods	
Waste disposal key:	

Disposal must be made according to official regulations.

## 14 Transport information

#### ADR/RID class:

#### IMDG Class:

#### ICAO/IATA Class:

- Environmental hazards:
- Not applicable.
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

## 15 Regulatory information

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS:
  - Department: Marketing
- Abbreviations and acronyms:
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organisation
- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- RTECS: Registry of Toxic Effects of Chemical Substances
- \* Data compared to the previous version altered.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.