

according to Regulation (EC) No. 1907/2006

Creation Date 22-Feb-2010

Revision Date 24-Jan-2024

Revision Number 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:	Silica gel desiccant
Cat No. :	44386
Synonyms	Silicon dioxide
CAS No	7631-86-9
EC No	231-545-4
Molecular Formula	O2 Si
REACH registration number	-

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Sector of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
Product category	PC21 - Laboratory chemicals
Process categories	PROC15 - Use as a laboratory reagent
Environmental release category	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company	Thermo Fisher (Kandel) GmbH Erlenbachweg 2, 76870 Kandel, Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300
	Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach Tel: +41 (0) 56 618 41 11 https://www.fishersci.ch/ch/en/customer-help- support/forms/email-us.html
E-mail address	begel.sdsdesk@thermofisher.com
1.4. Emergency telephone number	For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US :001-201-796-7100 / Europe : +32 14 57 52 99 CHEMTREC Tel. No. US :001-800-424-9300 / Europe :001-703-527-3887 customers in Switzerland: Tox Info Suisse Emergency Number: 145 (24hr)
	Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad) Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

<u>Health hazards</u> Based on available data, the classification criteria are not met

Environmental hazards Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements None required

2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Silica, amorphous	7631-86-9	EEC No. 231-545-4	>95	-

REACH registration number	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

Revision Date 24-Jan-2024

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Remove to fresh air. Get medical attention immediately if symptoms occur.
No special precautions required.
effects, both acute and delayed
None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Silica gel desiccant

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Non-combustible. None reasonably foreseeable.

Hazardous Combustion Products

None under normal use conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid

Silica gel desiccant

ingestion and inhalation. Avoid dust formation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510	Storage Class/LGK 13
Storage Class (LGK) (Germany)	

Switzerland - Storage of hazardous substances

Storage class - SC 11/13 https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE -** 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Silica, amorphous		STEL: 18 mg/m ³ 15 min			
		STEL: 7.2 mg/m3 15 min			
		TWA: 6 mg/m ³ 8 hr			
		TWA: 2.4 mg/m ³ 8 hr			

Component	Italy	Germany	Portugal	The Netherlands	Finland
Silica, amorphous		TWA: 4 mg/m ³ (8	TWA: 0.05 mg/m ³ 8		TWA: 5 mg/m ³ 8
		Stunden). AGW -	horas		tunteina
		TWA: 0.02 mg/m ³ (8	TWA: 0.1 mg/m ³ 8 horas		
		Stunden). MAK	Ũ		
		Höhepunkt: 0.16 mg/m ³			

Component	Austria	Denmark	Switzerland	Poland	Norway
Silica, amorphous	MAK-TMW: 4 mg/m ³ 8		TWA: 4 mg/m ³ 8		TWA: 1.5 mg/m ³ 8 timer
	Stunden		Stunden		STEL: 3 mg/m ³ 15
					minutter. value
					calculated respirable
					dust

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Silica, amorphous			TWA: 6 mg/m ³ 8 hr.		TWA: 0.1 mg/m ³ 8
			total inhalable dust		hodinách. respirable
			TWA: 2.4 mg/m ³ 8 hr.		fraction
			respirable dust		TWA: 4.0 mg/m ³ 8
			STEL: 18 mg/m ³ 15 min		hodinách. amorphous
			STEL: 7.2 mg/m ³ 15 min		SiO2

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Silica, amorphous	TWA: 2 mg/m ³ 8				Ceiling: 4 mg/m ³ ultra
	tundides. respirable				fine spray
	dust				

Silica gel desiccant

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Silica, amorphous	TWA: 1 mg/m ³				
Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Silica, amorphous	TWA: 1 mg/m ³ 1151 in		TWA: 4 mg/m ³ 8 urah		
	the form of		inhalable fraction, gel		
	condensation aerosol,				
	containing >60% Silicon				
	dioxide;limit is for total				
	mass of aerosols				
	TWA: 2 mg/m ³ 1152 in				
	the form of				
	condensation aerosol,				
	containing 10-60%				
	Silicon dioxide; limit is for				
	total mass of aerosols				
	TWA: 1 mg/m ³ 1153				
	also vitreous, in the form				
	of disintegration				
	aerosol;limit is for total				
	mass of aerosols				
	MAC: 3 mg/m ³				
	MAC: 6 mg/m ³				

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL) Workers

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering Measures None under normal use conditions.

Personal protective equ Eye Protection		fety glasses with side	e shields (or goggles)	(European standard - EN 166)
Hand Protection	Protectiv	Protective gloves		
Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time > 480 minutes	Glove thickness	EU standard Level 1 EN388	Glove comments (minimum requirement)

Silica gel desiccant

PVC	-
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection	No protective equipment is needed under normal use conditions.
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particle filter
Small scale/Laboratory use	Maintain adequate ventilation

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Solid	
Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits	White Odorless No data available No data available No data available No information available Not applicable No information available No data available	Solid
Flash Point Autoignition Temperature Decomposition Temperature pH Viscosity Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wate Vapor Pressure	No data available	Method - No information available 10% aq.solution Solid
Density / Specific Gravity Bulk Density Vapor Density Particle characteristics <u>9.2. Other information</u>	No data available No data available Not applicable No data available	Solid
Molecular Formula Molecular Weight Evaporation Rate	O2 Si 60.08 Not applicable - Solid	

SECTION 10: STABILITY AND REACTIVITY

10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous react	ions
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.
10.4. Conditions to avoid	Avoid dust formation. Incompatible products.
10.5. Incompatible materials	Strong oxidizing agents.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;Based on available data, the classification criteria are not metOralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Silica, amorphous	>5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	-

(b) skin corrosion/irritation;	Based on available data, the classification criteria are not met
(c) serious eye damage/irritation;	Based on available data, the classification criteria are not met
(d) respiratory or skin sensitization Respiratory Skin	; Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met
(e) germ cell mutagenicity;	Based on available data, the classification criteria are not met
(f) carcinogenicity;	Based on available data, the classification criteria are not met The table below indicates whether each agency has listed any ingredient as a carcinogen
(g) reproductive toxicity;	Based on available data, the classification criteria are not met
(h) STOT-single exposure;	Based on available data, the classification criteria are not met
(i) STOT-repeated exposure; Target Organs	Based on available data, the classification criteria are not met None known.
(j) aspiration hazard;	Not applicable

Silica gel desiccant

Solid

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and No information available. delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

This product contains the following substance(s) which are hazardous for the environment. .

Component	Freshwater Fish	Water Flea	Freshwater Algae
Silica, amorphous	LC50: 5000 mg/L/96 h	EC50: 7600 mg/L/48h	EC50: 440 mg/L/72h

12.2. Persistence and degradability Persistence Degradability	Insoluble in water. Not relevant for inorganic substances.
12.3. Bioaccumulative potential	May have some potential to bioaccumulate
<u>12.4. Mobility in soil</u>	Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.
<u>12.5. Results of PBT and vPvB</u> assessment	In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
12.7. Other adverse effects	This product does not contain any known or supported substance

Persistent Organic PollutantThis product does not contain any known or suspected substanceOzone Depletion PotentialThis product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
Contaminated Packaging	Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Silica gel desiccant	Revision Date 24-Jan-2024
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.
Switzerland - Waste Ordinance	Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600 https://www.fedlex.admin.ch/eli/cc/2015/891/en
SI	ECTION 14: TRANSPORT INFORMATION
IMDG/IMO	Not regulated
<u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group	
ADR	Not regulated
<u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group	
IATA	Not regulated
14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group	
14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods
SE	CTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Silica, amorphous	7631-86-9	231-545-4	-	-	Х	Х	KE-31032	Х	Х
Component	CAS No	TSCA		ventory ation - nactive	DSL	NDSL	AICS	NZIoC	PICCS
Silica, amorphous	7631-86-9	Х	ACT	IVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
-		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -

Silica gel desiccant

		Subject to Authorization	· · · · · · · · · · · · · · · · · · ·	Candidate List of Substances of Very High Concern (SVHC)
Silica, amorphous	7631-86-9	-	-	-

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report	
		Notification	Requirements	
Silica, amorphous	7631-86-9	Not applicable	Not applicable	

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Silica, amorphous	nwg	

Component	France - INRS (Tables of occupational diseases)
Silica, amorphous	Tableaux des maladies professionnelles (TMP) - RG 25

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

Legend

CAS - Chemical Abstracts ServiceTSCA - United States Toxic Substances Control Act Section 8(b)
InventoryEINECS/ELINCS - European Inventory of Existing Commercial Chemical
Substances/EU List of Notified Chemical SubstancesDSL/NDSL - Canadian Domestic Substances List/Non-Domestic
Substances ListPICCS - Philippines Inventory of Chemicals and Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical SubstancesENCS - Japanese Existing and New Chemical Substances
AICS - Australian Inventory of Chemical Substances
NZIOC - New Zealand Inventory of Chemicals

Silica gel desiccant

WEL - Workplace Exposure Limit	TWA - Time Weighted Average		
ACGIH - American Conference of Governmental Industrial Hygienists	IARC - International Agency for Research on Cancer		
DNEL - Derived No Effect Level	Predicted No Effect Concentration (PNEC)		
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%		
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%		
NOEC - No Observed Effect Concentration	POW - Partition coefficient Octanol:Water		
PBT - Persistent, Bioaccumulative, Toxic	vPvB - very Persistent, very Bioaccumulative		
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (volatile organic compound)		
Key literature references and sources for data			
https://echa.europa.eu/information-on-chemicals			
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS			

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared ByHealth, Safety and Environmental DepartmentCreation Date22-Feb-2010Revision Date24-Jan-2024Revision SummaryNew emergency telephone response service provider.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet