

Creation Date 22-Feb-2010

Revision Date 24-Jan-2024

Revision Number 4

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

|                           |                                                  |
|---------------------------|--------------------------------------------------|
| Product Description:      | <u>Silica gel desiccant, -6+12 mesh granules</u> |
| Cat No. :                 | <b>44387</b>                                     |
| Synonyms                  | Silicon dioxide                                  |
| CAS No                    | 7631-86-9                                        |
| EC No                     | 231-545-4                                        |
| Molecular Formula         | O2 Si                                            |
| REACH registration number | -                                                |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                                |                                                                                             |
|--------------------------------|---------------------------------------------------------------------------------------------|
| Recommended Use                | Laboratory chemicals.                                                                       |
| Sector of use                  | SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites    |
| Product category               | PC21 - Laboratory chemicals                                                                 |
| Process categories             | PROC15 - Use as a laboratory reagent                                                        |
| Environmental release category | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| Uses advised against           | No Information available                                                                    |

### 1.3. Details of the supplier of the safety data sheet

#### Company

Thermo Fisher (Kandel) GmbH  
Erlenbachweg 2, 76870 Kandel, Germany  
Tel: +49 (0) 721 84007 280  
Fax: +49 (0) 721 84007 300

**Swiss distributor** - Fisher Scientific AG  
Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

#### E-mail address

begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

## SECTION 2: HAZARDS IDENTIFICATION

# SAFETY DATA SHEET

Silica gel desiccant, -6+12 mesh granules

Revision Date 24-Jan-2024

## 2.1. Classification of the substance or mixture

### CLP Classification - Regulation (EC) No 1272/2008

#### Physical hazards

Based on available data, the classification criteria are not met

#### Health hazards

Based on available data, the classification criteria are not met

#### Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements

None required

## 2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

| Component         | CAS No    | EC No             | Weight % | CLP Classification - Regulation (EC) No 1272/2008 |
|-------------------|-----------|-------------------|----------|---------------------------------------------------|
| Silica, amorphous | 7631-86-9 | EEC No. 231-545-4 | >95      | -                                                 |

REACH registration number

-

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

# SAFETY DATA SHEET

Silica gel desiccant, -6+12 mesh granules

Revision Date 24-Jan-2024

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Self-Protection of the First Aider** No special precautions required.

## **4.2. Most important symptoms and effects, both acute and delayed**

None reasonably foreseeable.

## **4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

#### **Suitable Extinguishing Media**

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### **5.2. Special hazards arising from the substance or mixture**

Non-combustible. None reasonably foreseeable.

#### **Hazardous Combustion Products**

None under normal use conditions.

### **5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

### **6.2. Environmental precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

### **6.3. Methods and material for containment and cleaning up**

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

### **6.4. Reference to other sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid

# SAFETY DATA SHEET

Silica gel desiccant, -6+12 mesh granules

Revision Date 24-Jan-2024

ingestion and inhalation. Avoid dust formation.

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

**Technical Rules for Hazardous Substances (TRGS) 510**  
**Storage Class (LGK) (Germany)**

Storage Class/LGK 13

**Switzerland - Storage of hazardous substances**

Storage class - SC 11/13  
<https://www.kvu.ch/de/themen/stoffe-und-produkte>  
<https://www.kvu.ch/fr/themes/substances-et-produits>  
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

| Component         | European Union | The United Kingdom                                                                                                                          | France | Belgium | Spain |
|-------------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------|---------|-------|
| Silica, amorphous |                | STEL: 18 mg/m <sup>3</sup> 15 min<br>STEL: 7.2 mg/m <sup>3</sup> 15 min<br>TWA: 6 mg/m <sup>3</sup> 8 hr<br>TWA: 2.4 mg/m <sup>3</sup> 8 hr |        |         |       |

| Component         | Italy | Germany                                                                                                                    | Portugal                                                                  | The Netherlands | Finland                             |
|-------------------|-------|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|-----------------|-------------------------------------|
| Silica, amorphous |       | TWA: 4 mg/m <sup>3</sup> (8 Stunden). AGW - TWA: 0.02 mg/m <sup>3</sup> (8 Stunden). MAK Höhepunkt: 0.16 mg/m <sup>3</sup> | TWA: 0.05 mg/m <sup>3</sup> 8 horas<br>TWA: 0.1 mg/m <sup>3</sup> 8 horas |                 | TWA: 5 mg/m <sup>3</sup> 8 tunteina |

| Component         | Austria                                | Denmark | Switzerland                        | Poland | Norway                                                                                                        |
|-------------------|----------------------------------------|---------|------------------------------------|--------|---------------------------------------------------------------------------------------------------------------|
| Silica, amorphous | MAK-TMW: 4 mg/m <sup>3</sup> 8 Stunden |         | TWA: 4 mg/m <sup>3</sup> 8 Stunden |        | TWA: 1.5 mg/m <sup>3</sup> 8 timer<br>STEL: 3 mg/m <sup>3</sup> 15 minutter. value calculated respirable dust |

| Component         | Bulgaria | Croatia | Ireland                                                                                                                                                                            | Cyprus | Czech Republic                                                                                                                  |
|-------------------|----------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------|
| Silica, amorphous |          |         | TWA: 6 mg/m <sup>3</sup> 8 hr. total inhalable dust<br>TWA: 2.4 mg/m <sup>3</sup> 8 hr. respirable dust<br>STEL: 18 mg/m <sup>3</sup> 15 min<br>STEL: 7.2 mg/m <sup>3</sup> 15 min |        | TWA: 0.1 mg/m <sup>3</sup> 8 hodinách. respirable fraction<br>TWA: 4.0 mg/m <sup>3</sup> 8 hodinách. amorphous SiO <sub>2</sub> |

| Component         | Estonia                                              | Gibraltar | Greece | Hungary | Iceland                                       |
|-------------------|------------------------------------------------------|-----------|--------|---------|-----------------------------------------------|
| Silica, amorphous | TWA: 2 mg/m <sup>3</sup> 8 tundides. respirable dust |           |        |         | Ceiling: 4 mg/m <sup>3</sup> ultra fine spray |

# SAFETY DATA SHEET

Silica gel desiccant, -6+12 mesh granules

Revision Date 24-Jan-2024

| Component         | Latvia                   | Lithuania | Luxembourg | Malta | Romania |
|-------------------|--------------------------|-----------|------------|-------|---------|
| Silica, amorphous | TWA: 1 mg/m <sup>3</sup> |           |            |       |         |

| Component         | Russia                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Slovak Republic | Slovenia                                                      | Sweden | Turkey |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------|--------|--------|
| Silica, amorphous | <p>TWA: 1 mg/m<sup>3</sup> 1151 in the form of condensation aerosol, containing &gt;60% Silicon dioxide; limit is for total mass of aerosols</p> <p>TWA: 2 mg/m<sup>3</sup> 1152 in the form of condensation aerosol, containing 10-60% Silicon dioxide; limit is for total mass of aerosols</p> <p>TWA: 1 mg/m<sup>3</sup> 1153 also vitreous, in the form of disintegration aerosol; limit is for total mass of aerosols</p> <p>MAC: 3 mg/m<sup>3</sup></p> <p>MAC: 6 mg/m<sup>3</sup></p> |                 | <p>TWA: 4 mg/m<sup>3</sup> 8 urah inhalable fraction, gel</p> |        |        |

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers

## Predicted No Effect Concentration (PNEC)

No information available.

## 8.2. Exposure controls

### Engineering Measures

None under normal use conditions.

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard   | Glove comments        |
|----------------|-------------------|-----------------|---------------|-----------------------|
| Natural rubber | > 480 minutes     |                 | Level 1 EN388 | (minimum requirement) |
| Nitrile rubber |                   |                 |               |                       |
| Neoprene       |                   |                 |               |                       |

# SAFETY DATA SHEET

Silica gel desiccant, -6+12 mesh granules

Revision Date 24-Jan-2024

|     |   |
|-----|---|
| PVC | - |
|-----|---|

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**Large scale/emergency use** Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Particle filter

**Small scale/Laboratory use** Maintain adequate ventilation

**Environmental exposure controls** No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|                                         |                          |                                   |
|-----------------------------------------|--------------------------|-----------------------------------|
| Physical State                          | Solid                    |                                   |
| Appearance                              | White                    |                                   |
| Odor                                    | Odorless                 |                                   |
| Odor Threshold                          | No data available        |                                   |
| Melting Point/Range                     | No data available        |                                   |
| Softening Point                         | No data available        |                                   |
| Boiling Point/Range                     | No information available |                                   |
| Flammability (liquid)                   | Not applicable           | Solid                             |
| Flammability (solid,gas)                | No information available |                                   |
| Explosion Limits                        | No data available        |                                   |
| Flash Point                             | No information available | Method - No information available |
| Autoignition Temperature                | No data available        |                                   |
| Decomposition Temperature               | No data available        |                                   |
| pH                                      | 5.5 - 8                  | 10% aq.solution                   |
| Viscosity                               | Not applicable           | Solid                             |
| Water Solubility                        | Insoluble                |                                   |
| Solubility in other solvents            | No information available |                                   |
| Partition Coefficient (n-octanol/water) |                          |                                   |
| Vapor Pressure                          | No data available        |                                   |
| Density / Specific Gravity              | No data available        |                                   |
| Bulk Density                            | No data available        |                                   |
| Vapor Density                           | Not applicable           | Solid                             |
| Particle characteristics                | No data available        |                                   |

### 9.2. Other information

|                   |                        |
|-------------------|------------------------|
| Molecular Formula | O2 Si                  |
| Molecular Weight  | 60.08                  |
| Evaporation Rate  | Not applicable - Solid |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

# SAFETY DATA SHEET

Silica gel desiccant, -6+12 mesh granules

Revision Date 24-Jan-2024

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

### Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.  
None under normal processing.

## 10.4. Conditions to avoid

Avoid dust formation. Incompatible products.

## 10.5. Incompatible materials

Strong oxidizing agents.

## 10.6. Hazardous decomposition products

None under normal use conditions.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

| Component         | LD50 Oral           | LD50 Dermal            | LC50 Inhalation |
|-------------------|---------------------|------------------------|-----------------|
| Silica, amorphous | >5000 mg/kg ( Rat ) | >2000 mg/kg ( Rabbit ) | -               |

#### (b) skin corrosion/irritation;

Based on available data, the classification criteria are not met

#### (c) serious eye damage/irritation;

Based on available data, the classification criteria are not met

#### (d) respiratory or skin sensitization;

Respiratory

Based on available data, the classification criteria are not met

Skin

Based on available data, the classification criteria are not met

#### (e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

#### (f) carcinogenicity;

Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

#### (g) reproductive toxicity;

Based on available data, the classification criteria are not met

#### (h) STOT-single exposure;

Based on available data, the classification criteria are not met

#### (i) STOT-repeated exposure;

Based on available data, the classification criteria are not met

Target Organs

None known.

#### (j) aspiration hazard;

Not applicable

# SAFETY DATA SHEET

Silica gel desiccant, -6+12 mesh granules

Revision Date 24-Jan-2024

Solid

**Other Adverse Effects** The toxicological properties have not been fully investigated.

**Symptoms / effects, both acute and delayed** No information available.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecotoxicity effects** This product contains the following substance(s) which are hazardous for the environment. .

| Component         | Freshwater Fish      | Water Flea          | Freshwater Algae   |
|-------------------|----------------------|---------------------|--------------------|
| Silica, amorphous | LC50: 5000 mg/L/96 h | EC50: 7600 mg/L/48h | EC50: 440 mg/L/72h |

### 12.2. Persistence and degradability

**Persistence** Insoluble in water.  
**Degradability** Not relevant for inorganic substances.

**12.3. Bioaccumulative potential** May have some potential to bioaccumulate

**12.4. Mobility in soil** Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.

**12.5. Results of PBT and vPvB assessment** In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.

### 12.6. Endocrine disrupting properties

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

### 12.7. Other adverse effects

**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

**Contaminated Packaging** Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

# SAFETY DATA SHEET

Silica gel desiccant, -6+12 mesh granules

Revision Date 24-Jan-2024

**Other Information** Waste codes should be assigned by the user based on the application for which the product was used.

**Switzerland - Waste Ordinance** Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600  
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

## SECTION 14: TRANSPORT INFORMATION

**IMDG/IMO** Not regulated

14.1. UN number  
14.2. UN proper shipping name  
14.3. Transport hazard class(es)  
14.4. Packing group

**ADR** Not regulated

14.1. UN number  
14.2. UN proper shipping name  
14.3. Transport hazard class(es)  
14.4. Packing group

**IATA** Not regulated

14.1. UN number  
14.2. UN proper shipping name  
14.3. Transport hazard class(es)  
14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component         | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-------------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Silica, amorphous | 7631-86-9 | 231-545-4 | -      | -   | X     | X    | KE-31032 | X    | X    |

| Component         | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-------------------|-----------|------|-----------------------------------------------|-----|------|------|-------|-------|
| Silica, amorphous | 7631-86-9 | X    | ACTIVE                                        | X   | -    | X    | X     | X     |

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**Authorisation/Restrictions according to EU REACH** Not applicable

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances | REACH (1907/2006) - Annex XVII - Restrictions | REACH Regulation (EC 1907/2006) article 59 - |
|-----------|--------|--------------------------------------------|-----------------------------------------------|----------------------------------------------|
|-----------|--------|--------------------------------------------|-----------------------------------------------|----------------------------------------------|

# SAFETY DATA SHEET

Silica gel desiccant, -6+12 mesh granules

Revision Date 24-Jan-2024

|                   |           | Subject to Authorization | on Certain Dangerous Substances | Candidate List of Substances of Very High Concern (SVHC) |
|-------------------|-----------|--------------------------|---------------------------------|----------------------------------------------------------|
| Silica, amorphous | 7631-86-9 | -                        | -                               | -                                                        |

## Seveso III Directive (2012/18/EC)

| Component         | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-------------------|-----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Silica, amorphous | 7631-86-9 | Not applicable                                                                            | Not applicable                                                                           |

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

See table for values

| Component         | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-------------------|---------------------------------------|-------------------------|
| Silica, amorphous | nwg                                   |                         |

| Component         | France - INRS (Tables of occupational diseases)      |
|-------------------|------------------------------------------------------|
| Silica, amorphous | Tableaux des maladies professionnelles (TMP) - RG 25 |

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

#### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

# SAFETY DATA SHEET

Silica gel desiccant, -6+12 mesh granules

Revision Date 24-Jan-2024

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

## Prepared By

Health, Safety and Environmental Department

## Creation Date

22-Feb-2010

## Revision Date

24-Jan-2024

## Revision Summary

New emergency telephone response service provider.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**