

according to Regulation (EC) No. 1907/2006

Revision Date 24-Jan-2024 Revision Number 4

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: Soda lime, indicating, ACS

Cat No. : 44697

Synonyms A precipitate solid hydrate formed from Hydroxides of Calcium and Sodium

REACH registration number -

Unique Formula Identifier (UFI) P3R7-KV28-6W02-UTKT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Absorbent. Laboratory chemicals.

Uses advised against No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

Poison Centre - Emergency information services

Ireland: National Poisons Information Centre (NPIC) -

01 809 2166 (8am-10pm, 7 days a week)

**Malta**: +356 2395 2000 **Cyprus**: +357 2240 5611

## **SECTION 2: HAZARDS IDENTIFICATION**

ALFAA44697

Revision Date 24-Jan-2024

#### 2.1. Classification of the substance or mixture

#### CLP Classification - Regulation (EC) No 1272/2008

#### **Physical hazards**

Based on available data, the classification criteria are not met

#### **Health hazards**

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation

Category 1 B (H314) Category 1 (H318)

## **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



Signal Word

Danger

#### **Hazard Statements**

H314 - Causes severe skin burns and eye damage

## **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

#### 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Calcium hydroxide	1305-62-0	215-137-3	75 - 85	Eye Dam. 1 (H318) Skin Irrit. 2 (H315) STOT SE 3 (H335)

Revision Date 24-Jan-2024

#### Soda lime, indicating, ACS

Water	7732-18-5	231-791-2	10 - 20	-
Sodium hydroxide	1310-73-2	215-185-5	< 5	Met. Corr. 1 (H290)
				Skin Corr. 1A (H314)
				Eye Dam. 1 (H318)
Ethanaminium,	2390-59-2	EEC No. 219-231-5	< 1.0	-
N-[4-[bis[4-(diethylamino)phenyl]methylene]				
-2,5-cyclohexadien-1-ylidene]-N-ethyl-,				
chloride				
Soda lime	8006-28-8		-	Skin Corr. 1B (H314)
				Eve Dam. 1 (H318)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Sodium hydroxide	Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%<=C<5% Met. Corr. 1 :: C ≥ 2% Eye Irrit. 2 :: 0.5%<=C<2% Skin Irrit. 2 :: 0.5%<=C<2%	-	-

#### Note

Soda lime CAS # 8006-28-8

REACH registration number	•

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

**Immediate medical attention is required.** Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

None under normal use conditions.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

#### 6.2. Environmental precautions

Should not be released into the environment. Do not allow material to contaminate ground water system.

#### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 8B

Switzerland - Storage of hazardous substances

Storage class - SC 8 https://www.kvu.ch/de/themen/stoffe-und-produkte

Revision Date 24-Jan-2024

https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Calcium hydroxide	TWA: 1 mg/m <sup>3</sup> (8h)	STEL: 4 mg/m <sup>3</sup> 15 min	TWA / VME: 1 mg/m <sup>3</sup> (8	TWA: 1 mg/m <sup>3</sup> 8 uren	STEL / VLA-EC: 4
	STEL: 4 mg/m <sup>3</sup> (15min)	STEL: 15 mg/m <sup>3</sup> 15 min	heures).	STEL: 4 mg/m <sup>3</sup> 15	mg/m³ (15 minutos).
		TWA: 1 mg/m <sup>3</sup> 8 hr	STEL / VLCT: 4 mg/m <sup>3</sup> .	minuten	TWA / VLA-ED: 1 mg/m <sup>3</sup>
		TWA: 5 mg/m <sup>3</sup> 8 hr	indicative limit		(8 horas)
Sodium hydroxide		2 mg/m³ STEL	TWA / VME: 2 mg/m <sup>3</sup> (8	2 mg/m³ VLE	STEL / VLA-EC: 2
			heures).		mg/m³ (15 minutos).

Component	Italy	Germany	Portugal	The Netherlands	Finland
Calcium hydroxide	TWA: 1 mg/m³ 8 ore. Time Weighted Average	TWA: 1 mg/m³ (8 Stunden). AGW - exposure factor 2 TWA: 1 mg/m³ (8 Stunden). MAK Höhepunkt: 2 mg/m³	STEL: 4 mg/m³ 15 minutos TWA: 1 mg/m³ 8 horas	STEL: 4 mg/m <sup>3</sup> 15 minuten TWA: 1 mg/m <sup>3</sup> 8 uren	TWA: 1 mg/m <sup>3</sup> 8 tunteina STEL: 4 mg/m <sup>3</sup> 15 minuutteina
Sodium hydroxide		2 mg/m3 TWA (inhalable	Ceiling: 2 mg/m <sup>3</sup>		Ceiling: 2 mg/m <sup>3</sup>
		fraction)			

Component	Austria	Denmark	Switzerland	Poland	Norway
Calcium hydroxide	MAK-KZGW: 4 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> 8 timer	STEL: 4 mg/m <sup>3</sup> 15	STEL: 4 mg/m <sup>3</sup> 15	TWA: 1 mg/m <sup>3</sup> 8 timer
	15 Minuten	TWA: 5 mg/m <sup>3</sup> 8 timer	Minuten	minutach	STEL: 4 mg/m <sup>3</sup> 15
	MAK-TMW: 1 mg/m <sup>3</sup> 8	STEL: 4 mg/m <sup>3</sup> 15	TWA: 1 mg/m <sup>3</sup> 8	STEL: 6 mg/m <sup>3</sup> 15	minutter. value from the
	Stunden	minutter	Stunden	minutach	regulation respirable
		STEL: 10 mg/m <sup>3</sup> 15		TWA: 2 mg/m <sup>3</sup> 8	dust
		minutter		godzinach	
				TWA: 1 mg/m <sup>3</sup> 8	
				godzinach	
Sodium hydroxide	MAK-KZGW: 4 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup> 15	STEL: 1 mg/m <sup>3</sup> 15	Ceiling: 2 mg/m <sup>3</sup>
	15 Minuten		Minuten	minutach	
	MAK-TMW: 2 mg/m <sup>3</sup> 8		TWA: 2 mg/m <sup>3</sup> 8	TWA: 0.5 mg/m <sup>3</sup> 8	
	Stunden		Stunden	godzinach	

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Calcium hydroxide	TWA: 1 mg/m <sup>3</sup>	TWA-GVI: 1 mg/m <sup>3</sup> 8	TWA: 1 mg/m <sup>3</sup> 8 hr.	STEL: 4 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> 8
	STEL: 4 mg/m <sup>3</sup>	satima. respirable dust,	respirable dust	TWA: 1 mg/m <sup>3</sup>	hodinách. respirable
	_	inhalable fraction	STEL: 4 mg/m <sup>3</sup> 15 min	_	fraction of aerosol
		STEL-KGVI: 4 mg/m <sup>3</sup> 15	_		Ceiling: 4 mg/m <sup>3</sup>
		minutama. respirable			
		dust; inhalable fraction			
Sodium hydroxide	TWA: 2.0 mg/m <sup>3</sup>	STEL-KGVI: 2 mg/m3 15	STEL: 2 mg/m <sup>3</sup> 15 min		TWA: 1 mg/m <sup>3</sup> 8
		minutama.	_		hodinách.
					Ceiling: 2 mg/m <sup>3</sup>

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Calcium hydroxide	TWA: 1 mg/m <sup>3</sup> 8	TWA: 1 mg/m <sup>3</sup> 8 hr	STEL: 4 mg/m <sup>3</sup>	STEL: 4 mg/m <sup>3</sup> 15	STEL: 4 mg/m <sup>3</sup>
	tundides.	respirable fraction	TWA: 1 mg/m <sup>3</sup>	percekben. CK	respirable fraction
	STEL: 4 mg/m <sup>3</sup> 15	STEL: 4 mg/m <sup>3</sup> 15 min		TWA: 1 mg/m <sup>3</sup> 8	TWA: 1 mg/m <sup>3</sup> 8
	minutites.			órában. AK	klukkustundum.

#### Soda lime, indicating, ACS

Revision Date 24-Jan-2024

				respirable fraction
Sodium hydroxide	TWA: 1 mg/m³ 8 tundides. STEL: 2 mg/m³ 15	STEL: 2 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	STEL: 2 mg/m³ 15 percekben. CK TWA: 1 mg/m³ 8	STEL: 2 mg/m <sup>3</sup>
	minutites.		órában. AK	

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Calcium hydroxide	STEL: 4 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> 8	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> 8 ore
	TWA: 1 mg/m <sup>3</sup>	respirable fraction IPRD	Stunden	STEL: 4 mg/m <sup>3</sup> 15	STEL: 4 mg/m <sup>3</sup> 15
	_	Oda	STEL: 4 mg/m <sup>3</sup> 15	minuti	minute
		STEL: 4 mg/m <sup>3</sup>	Minuten		
Sodium hydroxide	TWA: 0.5 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>			

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Calcium hydroxide	Skin notation MAC: 2 mg/m <sup>3</sup>	TWA: 5 mg/m³ respirable fraction	TWA: 1 mg/m³ 8 urah respirable fraction STEL: 4 mg/m³ 15 minutah respirable	Binding STEL: 4 mg/m³ 15 minuter TLV: 1 mg/m³ 8 timmar. NGV	TWA: 5 mg/m <sup>3</sup> 8 saat
Sodium hydroxide		TWA: 2 mg/m³	fraction	Binding STEL: 2 mg/m³ 15 minuter TLV: 1 mg/m³ 8 timmar. NGV	

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Calcium hydroxide 1305-62-0 ( 75 - 85 )	DNEL = 4mg/m <sup>3</sup>		DNEL = 1mg/m <sup>3</sup>	
Sodium hydroxide 1310-73-2 ( < 5 )			DNEL = 1mg/m <sup>3</sup>	

## **Predicted No Effect Concentration (PNEC)**

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Calcium hydroxide	PNEC = 0.49mg/L		PNEC = 0.49mg/L	PNEC = 3mg/L	PNEC = 1080mg/kg
1305-62-0 ( 75 - 85 )					soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Calcium hydroxide 1305-62-0 ( 75 - 85 )	PNEC = 0.32mg/L				

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Neoprene	See manufacturers	-	EN 374	(minimum requirement)
	recommendations			

Skin and body protection Long sleeved clothing.

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

When workers are facing concentrations above the exposure limit they must use **Respiratory Protection** 

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

Revision Date 24-Jan-2024

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

> are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

Solid

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

**Physical State** Solid

White - Light grey **Appearance** 

Odor Odorless

**Odor Threshold** No data available Melting Point/Range No data available **Softening Point** No data available **Boiling Point/Range** No information available

Flammability (liquid) Not applicable

Flammability (solid,gas) No information available

No data available **Explosion Limits** 

Method - No information available **Flash Point** Not applicable

**Autoignition Temperature** No data available **Decomposition Temperature** No data available

12 - 14 рΗ

Alkaline Viscosity Not applicable Solid **Water Solubility** Slightly soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Soda lime, indicating, ACS Revision Date 24-Jan-2024

Solid

Vapor Pressure No information available

Density / Specific Gravity

0.9

Bulk Density
No data available
Vapor Density
Not applicable

Particle characteristics No data available

9.2. Other information

Evaporation Rate Not applicable - Solid

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

Exposure to air.

10.5. Incompatible materials

Halogenated solvents.

10.6. Hazardous decomposition products

None under normal use conditions.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

## Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Calcium hydroxide	LD50 = 7340 mg/kg (Rat)	LD50 > 2500 mg/kg (Rat)	LC50 > 6.04 mg/L (Rat) 4 h	
-				
Water	-	-	-	
Sodium hydroxide	140 - 340 mg/kg (Rat)	1350 mg/kg (Rabbit)	-	

**(b) skin corrosion/irritation**; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Revision Date 24-Jan-2024 Soda lime, indicating, ACS

No data available Respiratory No data available Skin

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

No data available (g) reproductive toxicity;

No data available (h) STOT-single exposure;

No data available (i) STOT-repeated exposure;

No information available. **Target Organs** 

(j) aspiration hazard; Not applicable

Solid

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

#### 11.2. Information on other hazards

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity **Ecotoxicity effects** 

Freshwater Algae Component Freshwater Fish **Water Flea** Calcium hydroxide LC50 = 160 mg/L, 96h static (Gambusia affinis) Sodium hydroxide LC50: = 45.4 mg/L, 96h static

12.2. Persistence and degradability

**Persistence** May persist, based on information available.

12.3. Bioaccumulative potential May have some potential to bioaccumulate

Is not likely mobile in the environment due its low water solubility. 12.4. Mobility in soil

(Oncorhynchus mykiss)

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

Revision Date 24-Jan-2024 Soda lime, indicating, ACS

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects **Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH

and harm aquatic organisms.

**Switzerland - Waste Ordinance** Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

## SECTION 14: TRANSPORT INFORMATION

#### IMDG/IMO

UN1907 14.1. UN number SODA LIME 14.2. UN proper shipping name

14.3. Transport hazard class(es) 14.4. Packing group Ш

ADR

14.1. UN number UN1907 14.2. UN proper shipping name SODA LIME

14.3. Transport hazard class(es)

14.4. Packing group Ш

IATA

UN1907 14.1. UN number SODA LIME 14.2. UN proper shipping name

14.3. Transport hazard class(es) 14.4. Packing group Ш

No hazards identified 14.5. Environmental hazards

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk Not applicable, packaged goods according to IMO instruments

Revision Date 24-Jan-2024

## **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Calcium hydroxide	1305-62-0	215-137-3	ı	-	X	X	KE-04518	X	X
Water	7732-18-5	231-791-2	-	-	Х	X	KE-35400	Х	-
Sodium hydroxide	1310-73-2	215-185-5	-	-	X	X	KE-31487	X	Х
Ethanaminium,	2390-59-2	219-231-5	-	-	Х	X	-	-	Х
N-[4-[bis[4-(diethylamino)phenyl]m									
ethylene]-2,5-cyclohexadien-1-ylid									
ene]-N-ethyl-, chloride									
Soda lime	8006-28-8	-	-	-	Х	X	-	-	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Calcium hydroxide	1305-62-0	Х	ACTIVE	Х	-	X	Х	Х
Water	7732-18-5	Х	ACTIVE	Х	-	Х	Х	Х
Sodium hydroxide	1310-73-2	Х	ACTIVE	Х	-	Х	Х	Х
Ethanaminium, N-[4-[bis[4-(diethylamino)phenyl]m ethylene]-2,5-cyclohexadien-1-ylid ene]-N-ethyl-, chloride		Х	ACTIVE	Х	-	Х	Х	Х
Soda lime	8006-28-8	-	-	-	-	Χ	Χ	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Calcium hydroxide	1305-62-0	-	-	-
Water	7732-18-5	-	-	-
Sodium hydroxide	1310-73-2	-	Use restricted. See item 75. (see link for restriction details)	-
Ethanaminium, N-[4-[bis[4-(diethylamino)phenyl]met hylene]-2,5-cyclohexadien-1-ylidene ]-N-ethyl-, chloride		-	Use restricted. See item 75. (see link for restriction details)	-
Soda lime	8006-28-8	-	-	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

## Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Calcium hydroxide	1305-62-0	Not applicable	Not applicable
Water	7732-18-5	Not applicable	Not applicable
Sodium hydroxide	1310-73-2	Not applicable	Not applicable
Ethanaminium,	2390-59-2	Not applicable	Not applicable
N-[4-[bis[4-(diethylamino)ph			
enyl]methylene]-2,5-cyclohe			

#### Soda lime, indicating, ACS

Revision Date 24-Jan-2024

xadien-1-ylidene]-N-ethyl-, chloride			
Soda lime	8006-28-8	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** 

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Calcium hydroxide	WGK1	
Sodium hydroxide	WGK1	

#### **Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Sodium hydroxide	Prohibited and Restricted		
1310-73-2 ( < 5 )	Substances		

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H290 - May be corrosive to metals

H315 - Causes skin irritation

## Legend

**CAS** - Chemical Abstracts Service Inventory

TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

Soda lime, indicating, ACS Revision Date 24-Jan-2024

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

Transport Association

**ATE** - Acute Toxicity Estimate **VOC** - (volatile organic compound)

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

EC50 - Effective Concentration 50%

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level
RPE - Respiratory Protective Equipment
LC50 - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration **PBT** - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of ICAO/IATA - International Civil Aviation Organization/International Air

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Dangerous Goods by Road

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

MARPOL - International Convention for the Prevention of Pollution from

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Ships

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Prepared By Health, Safety and Environmental Department

Revision Date 24-Jan-2024

**Revision Summary** New emergency telephone response service provider.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**