Safety Data Sheet

fluoro**chem**

1. Identification of Substance / Mixture

Product Identifier

Product Name	5-Chloropentylzinc bromide 0.5 M in Tetrahydrofuran
Other Names	
Product Code	213813
CAS	312624-21-8
MDL	MFCD01316994
EINECS	N/A
REACH Registration Number	
Relevant Uses	Research and Development
Uses Advised Against	No uses advised against.

Supplier Details

Company	Fluorochem Limited
Address	Unit 14, Graphite Way, Hadfield. SK13 1QH. UK
Telephone	+44(0)1457 860111
Email	sds@fluorochem.co.uk
Emergency Telephone	+44(0)1457 860111 (08:00 - 17:30)

2. Hazards Identification

Classification	Water-react. 3 Acute Tox. 4 Skin Irrit. 2 Eye Dam. 1 STOT SE 3 Carc. 2			
Signal Word	Danger			
Pictograms		\diamondsuit	()	
	GHS02	GHS05	GHS07	GHS08
Hazards	H261 In contact w H302 Harmful if s H312 Harmful in c H315 Causes skin H318 Causes seric H332 Harmful if ir H335 May cause r H351 Suspected c EUH019 May form	wallowed. contact with skin. irritation. ous eye damage. haled. respiratory irritatio of causing cancer.	on.	es.
Precautions	P223 Do not allow P231+P232 Hand P261 Avoid breatl P264 Wash hands P270 Do not eat, 4 P271 Use only out P280 Wear face p P301+P312 IF SV P302+P352 IF ON P302+P352 IF ON P302+P352 IF ON P302+P3535+P333 present and easy f P308+P313 IF ex P310 Immediately P312 Call a POISC P321 Specific treat P330 Rinse mouth P340 Remove per P362+P364 Take P370+P378 In ca P402+P404 Store	Ile until all safety / contact with wat / contact / contact	precautions have er. ents under inert s/mist/vapours/s handling. hen using this pro- ventilated area. doctor if you fee plenty of water. ish off loose part erson to fresh ai se cautiously wit ising. ed: Get medical NTER/doctor. if you feel unwe d keep comforta clothing and wa sand to extingu core in a closed of	oduct. el unwell. cicles from skin. Immerse in cool water. ir and keep comfortable for breathing. h water for several minutes. Remove contact lenses, if advice/attention. cll. able for breathing. ish it before reuse. ish.
Other Classification Hazards	Bottle may be und	ler pressure		

3. Composition of Ingre	edients					
MIXTURE						
Name	CAS	Einecs	Composition	Hazards		
5-Chloropentylzinc bromide	312624-21-8	N/A	10-30%	H225 Flam. Liq. 2 H351 Carc. 2		
Tetrahydrofuran 109-99-9		70-90%	H225 Flam. Liq. 2 H302 Acute Tox. 4 H319 Eye Irrit. 2A H335 STOT SE 3 H351 Carc. 2 EUH019			
4. First Aid Measures						
Eye contact		In case of contact with eyes flush im apart. Protect uninjured eye. Remov immediate medical attention.		ater for 10 to 15 minutes holding eyelids sy to do. Continue rinsing and seek		
Ingestion		lf swallowed rinse the mouth with pl physician if you feel unwell.	enty of water (only if the person is	conscious) and contact a poison centre or		
Inhalation		unwell. If breathing is irregular or st	opped, administer artificial respirat			
Skin Contact		After contact with skin, wash immed immediately. Contact a poison centr		p. Remove contaminated clothing		
General Advice		No additional advice.				
Most Important Symptoms Effects	and	No known symptoms or effects.				
Immediate First Aid Measu	res	No additional first aid measures required.				
5. Fire Fighting Measu	res					
Suitable Fire Extinguishing	Media	Use water spray, alcohol-resistant fo	oam, dry chemical or carbon dioxide	2.		
Unsuitable Fire Extinguishi	ng Media	Water.				
Special Hazards		May form explosive peroxides.				
Advice for Fire Fighters		As in any fire, wear self-contained b	reathing apparatus and full protect	ive gear.		
6. Accidental Release M	leasures					
Personal Precautions		Use personal protective equipment. ventilation. Keep personnel away fro		ing vapours, mist or gas. Ensure adequate		
Environmental Precautions		Do not let product enter drains or wa	•	environment.		
Containment - Methods and Materials	d	Spill Response should only be carrie	d out by trained or qualified person	inel.		
Referenced SDS Sections		For personal protection see section 8. For disposal see section 13.				
7. Handling and Storag	e					
Personal Precautions						
Safe Handling		Handle and store under inert gas. Do not allow contact with water. Use only under a chemical fume hood. Kee away from heat/sparks/open flame/hot surfaces. Protect from moisture. Take measures to prevent the build-u electrostatic charge. Ensure adequate exhaust ventilation, especially if dust, aerosol or fumes will be generat Avoid contact with skin, eyes and clothing. For precautions see section 2.2.				
Protection Against Explosic Fire	on and	Where possible, use anti static and spark proof equipment when handling.				
General Occupational Hygie	ene	Handle in accordance with good ind eat, drink or smoke when using this		Wash hands before and after use. Do not ninated clothing before re-use.		

Conditions for Safe Storage and Incompatabilities

Managing Storage Risks	Keep away from heat/sparks/open flame/hot surfaces. Store under inert gas. Protect from moisture. Take measures to prevent the build-up of electrostatic charge. Air sensitive.
Storage Controls	Store under inert gas.
Maintaining Integrity	Store under inert gas and protect from moisture. Keep container tightly closed in a cool area away from sunlight or heat sources. Always store and handle under inert gas.
Other Advice	In contact with water releases flammable gases. The bottle may be under pressure. Ensure product is handled by a professional or qualified personnel in a fume cupboard with correct PPE.
Specific End Use(s)	No specific end uses are advised. The products supplied are for research purposes only.

Control Parameters

Country	Info	Long Term (ppm)	Long Term (mgm3)	Short Term (ppm)	Short Term (mgm3)	Ceiling (ppm)	Ceiling (mgm3)	Other Unit	Remarks
BE		50	(iiigiii3) 150	(ppiii) 100	300				(peut �tre absorb� par la
CZ		50.1	150	100.2	300				peau) (m?�e pronikat poko�kou)
PL			150		300				(mo?e przenika? przez sk�r? do
NO		50	150						organizmu) (kan absorberes gjennom huden)
DE	TRGS 900	50	150	100	300				(kann �ber die Haut aufgenommen
IE		50	150	100	300				werden) (may be absorbed
FI	НТР	50	150	100	300				through the skin) (kan absorberas
LT		50	150	100	300				genom huden) (tik?tinas ? sisavinimas per od?)
SK	NPEL	50	150	100	300				(r�tajte so vstreb�van�m
AT	МАК			100	300				cez poko�ku) (max. 4x15 min./Schicht, kann �ber die Haut aufgenommen
BG		50	150	100	300				werden) (?????? ?? ?? ?????? ?????????????????
DK		50	150	100	300				(kan optages gennem huden)
HR		50	150	100	300				gennem huden) (mora se uzeti u obzir prodiranje kroz ko�u)
RO		50	150	100	300				(e de asteptat asimilarea prin piele)
ES		50	150	100	300				(puede ser absorbido a trav�s
EE		50	150	100	300				d�rmica) (naha kaudu kergesti absorbeeruvad ained)
CA CA	Alberta BC	50 50	147	100 100	295				(may be absorbed
EU	IOELV	50	150	100	300				through the skin) (may be absorbed through the skin)
NZ		100	295						(may be absorbed
JP		50	148						through the skin) (may be absorbed
FR	VRC	50	150	100	300				through the skin) (peut �tre absorb� par la
MX		50		100					peau) (puede ser absorbido a trav�s
AU		100	295						d�rmica) (may be absorbed
SI		50	150	100	300				through the skin) (ra?unati je treba z mo�nostjo prodiranja skozi
GB	WEL	50	150	100	300				ko�o) (may be absorbed through the skin)
TW	MAK	200	590						-
AT	МАК	50	150						(kann �ber die Haut aufgenommen werden)
KR		50	140	100	280				
IS		50	150	100	300				(efni� getur au�veldlega borist inn ï½½

aul2½veidiega borist inn ï2½ lï2½kamann

СН		50	150	100	300		gegnum h��) (kann �ber die Haut aufgenommen werden)			
CN			300							
HU			150		300		(felvehet? a b? r�n kereszt�l)			
RU			200			100	<i>"</i>			
NL			300		600		(kan door de huid in het lichaam worden opgenomen)			
BR		156	460							
MY		200	590							
SE		50	150	100	300					
ID		50		100			(diharapkan dapat diserap lewat kulit)			
US	OSHA	200	590							
US	NIOSH	200	590	250	735					
US	ACGIH	50	147	100	295		(may be absorbed through the skin)			
CA	Qu�bec	100	300							
Engineeri	ng Measures		proof el			ring adequate ventilation, especially in nt. Ensure that eyewash stations and	•			
Face Prot	ection		Wear ti	Wear tightly fitting safety goggles which adhere to European standard EN 166. Ensure eye bath is to hand.						
Hand Proection			Directiv touchin	Handle with impermeable gloves. Inspect gloves before use. Gloves must satisfy the specifications of EU Directive 89/686/EEC and the standard EN374 derived from it. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.						
Skin Prote	ection		standar	Wear appropriate protective clothing ensuring all skin is covered. Wear safety shoes that meet at least S1 standards. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.						
Respiratory Protection				Product should be handled in a fume cupboard with adequate extraction. No respiratory equipment is needed under normal use conditions.						
Hygiene P	rotection		Ensure	Ensure hair or skin particles cannot enter the chemical container.						
Environmo	ent Exposure Co	ontrols	Avoid d	ischarge into the	e environment, see s	section 6.2.				

9. Physical and Chemical Properties

	Liquid
State	
Appearance	Liquid
Odour	No data available.
Odour Threshold	No data available.
рН	No data available.
Melting Point / Freezing Point	No data available.
Initial Boiling Point	No data available.
Boiling Range	No data available.
Flash Point	-17.2
Evaporation Rate	No data available.
Flammability	No data available.
Upper / Lower Flammability or Explosion Limits	No data available.
Vapour Pressure	No data available.
Vapour Density	No data available.
Relative Density	0.956g/cm3 at 25°C
Solubility	No data available.
Partion Coefficient	No data available.
Auto Ignition Temperature	No data available.
Decomposition Temperature	No data available.
Viscosity	No data available.
Explosive Properties	No data available.
Oxidising Properties	No data available.
Other information	No additional information available

Reactivity	No known reactivity, based on information available.
Stability	Moisture sensitive. Air sensitive.
Possibility of Hazardous Reactions	May form explosive peroxides.
Conditions To Avoid	Exposure to moisture.
Incompatible Materials	Water.
Hazardous Decomposition Products	No Data Available.

11. Toxicology Information

Acute Toxicity	No Toxicology data available for this product.
Skin Corrosion / Irritation	No Toxicology data available for this product.
Serious Eye Damage / Irritation	Causes serious eye damage.
Respiratory or Skin Sensitisation	Suspected of causing cancer.
Germ Cell Mutagenicity	No Toxicology data available for this product.
Carcinogencity	Suspected of causing cancer.
Reproductive Toxicity	No Toxicology data available for this product.
STOT-single Exposure	No Toxicology data available for this product.
STOT-repeated Exposure	No Toxicology data available for this product.
Aspiration Hazard	No Toxicology data available for this product.
Additional Toxicology Information	No Toxicology data available for this product.

12. Ecological Information

Toxicity	No Ecological data available for this product.
Persistence and Degradability	No Ecological data available for this product.
Bio-Accumulative Potential	No Ecological data available for this product.
Mobility in Soil	No Ecological data available for this product.
Results of PBT and vPvB assessment	No Ecological data available for this product.
Endocrine Disrupting Properties	No Ecological data available for this product.
Other Adverse Effects	No Ecological data available for this product.

13. Disposal Considerations

Disposal Operations Disposal of Packaging Ensure product is disposed of by licensed waste carriers.

Ensure INNER PACKAGING is disposed of by licensed waste carriers. Some OUTER PACKAGING MAY be recyclable if not contaminated.

14. Transport Information

IATA UN Number	2056	ADR UN Number	2056	IMDG UN Number	2056
IATA Proper Shipping Name	TETRAHYDROFURAN	ADR Proper Shipping Name	TETRAHYDROFURAN	IMDG Proper Shipping Name	TETRAHYDROFURAN
IATA Packing Group	II	ADR Packing Group	II	IMDG Packing Group	II
IATA Hazard Class	3	ADR Hazard Class	3	IMDG Hazard Class	3
IATA Sub Class		ADR Sub Class		IMDG Sub Class	-
				IMDG Special Provisions	
				IMDG IBS Instructions	
				IMDG IBC Instructions	IBC02
				IMDG Tank Instructions	Τ4
				IMDG Tank Provisions	TP1

15. Regulatory Information

As far as Fluorochem is aware, there are no further regulations controlling this product.

16. Other Information	
Information Not Covered in Other Sections	ADR: Accord Europeen sur le transport des merchandises Dangereuses par Route(European Agreement concerning the International Carriage of Dangerous Goods by road) RID:Reglement International concernant le transport des merchandises dangereuses par chemin de fer (Regulations concerning the International transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the International Air Transport Association ICAO:International Civil Aviation Organization ICAO-TI: Technical Instructions by the ICAO GHS: Globally Harmonized System of Classification and Labelling of Chemicals CAS:Chemical Abstracts Service
Revision	2.109
Date Modified	03/11/2022
Disclaimer	The product listed is for research and development purposes only and not for human or animal use. As such, in most cases, the toxicological, ecological and physicochemical properties have not been fully determined and the product should be treated with respect and always handled under suitable conditions by appropriately qualified personnel. The responsible party shall use this datasheet only in conjunction with other sources of information gathered by them, and should make an independent judgement of suitability, to ensure proper use and protect the health and safety of employees. This information is furnished without warranty and any use of the product not in conformance with this material safety data sheet, or in combination with any other product or process, is the responsibility of the user. This SDS adheres to Regulation (EC) No 1907/2006.