

Safety Data Sheet SIH6168.0
Date of issue: 29/11/2016 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Physical state : Liquid

Substance name : HEXYLTRIFLUOROSILANE

Product code : SIH6168.0 Formula : C6H13F3Si

Synonyms : TRIFLUOROPHENYLSILANE
Chemical family : ORGANOFLUOROSILANE

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Chemical intermediate

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

GELEST, INC.

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

GELEST INC.

Fritz-Klatte-Strasse 8 65933 Frankfurt

Germany

T +49 (0) 69 3535106-500 - F +49 (0) 69 3535106-501 - (M-F): 8:00 AM - 4:00 PM

info@gelestde.com - www.gelestde.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2

Skin corrosion/irritation, Category 1B

H314

Serious eye damage/eye irritation, Category 1

H318

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02 GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H314 - Causes severe skin burns and eye damage.

Print date: 10/04/2019 EN (English) SDS ID: **SIH6168.0** 1/9

Safety Data Sheet

Precautionary statements (CLP) P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240 - Ground/bond container and receiving equipment.

P260 - Do not breathe vapours.

P264 - Wash hands thoroughly after handling.

P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

Other hazards not contributing to the classification

: Hydrogen fluoride may be formed by reaction with water and moisture in air. The US OSHA

PEL (TWA) for hydrogen fluoride is 3 ppm.

SECTION 3: Composition/information on ingredients

Substances

Substance type : Mono-constituent

Name : HEXYLTRIFLUOROSILANE

CAS-No. : 96164-66-8

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyltrifluorosilane	(CAS-No.) 96164-66-8	95 - 100	Flam. Liq. 2, H225 Skin Corr. 1B, H314 Eye Dam. 1, H318

Full text of H-statements: see section 16

Mixtures 3.2.

Not applicable

SECTION 4: First aid measures

First-aid measures after inhalation

Description of first aid measures

First-aid measures general Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not

available show packaging or label.

Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical

advice.

Flush with water, then wash with saturated solution of sodium carbonate or 3% aqueous First-aid measures after skin contact

ammonia. Get immediate medical advice/attention.

First-aid measures after eye contact Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion Never give anything by mouth to an unconscious person. Get medical advice/attention if you

feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes (severe) skin burns. Symptoms/effects after eye contact : Causes serious eve damage.

Symptoms/effects after ingestion May be harmful if swallowed. For ingestion, calcium gluconate intravenously and calcium

lactate orally may be considered

Chronic symptoms Hydrofluoric acid, the hydrolysis product has demonstrated mutagenicity and teratogenicity in

laboratory bioassay.

Indication of any immediate medical attention and special treatment needed

NOTE TO PHYSICIAN: This product reacts with water and human tissues to form hydrofluoric acid . Massage a paste of 20% magnesium oxide in glycerol onto the burned areas. Inject 2-5 ccof 10% calcium gluconate beneath and around the burned areas. Gastric lavage, if swallowed, using 5% calcium chloride followed by saline catharsis.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : Do not use straight streams.

Special hazards arising from the substance or mixture

: Highly flammable liquid and vapour. Irritating fumes, hydrogen fluoride and organic acid vapors Fire hazard

may develop when material is exposed to elevated temperatures or open flame.

Print date: 10/04/2019 EN (English) SDS ID: SIH6168.0 2/9

Safety Data Sheet

Explosion hazard : May form flammable/explosive vapour-air mixture.

Advice for firefighters

: Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces. Firefighting instructions

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid all eye and skin contact and do not breathe vapour and mist.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Eliminate every possible source of ignition. Use special care to avoid static electric charges.

For non-emergency personnel 6.1.1.

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders 6.1.2.

Protective equipment Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Precautions for safe handling

: Handle empty containers with care because residual vapours are flammable. Keep away from Additional hazards when processed

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautions for safe handling Avoid all eye and skin contact and do not breathe vapour and mist. Ground/bond container and receiving equipment. Provide good ventilation in process area to prevent formation of vapour.

> Take precautionary measures against static discharge. Use only non-sparking tools. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work.

Conditions for safe storage, including any incompatibilities

Technical measures Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof

electrical equipment.

Storage conditions Keep container tightly closed. Store in sealed chemically resistant plastic containers. Keep in a

cool place. Store locked up.

Incompatible materials Moisture, Water,

Storage area Store in a well-ventilated place. Store away from heat.

Specific end use(s) 7.3.

Hygiene measures

No additional information available

SECTION 8: Exposure controls/personal protection

Control parameters

No additional information available

Exposure controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation.

Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:

Neoprene or nitrile rubber gloves

Eye protection:

Chemical goggles or face shield. Contact lenses should not be worn

Print date: 10/04/2019 EN (English) SDS ID: SIH6168.0 3/9

Safety Data Sheet

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear liquid.
Molecular mass : 170.25 g/mol
Colour : Straw.
Odour : Acrid.

Odour threshold : No data available

Refractive index : 1.3515

pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available

Freezing point : $< 0 \, ^{\circ}\text{C}$ Boiling point : $88 - 91 \, ^{\circ}\text{C}$ Flash point : $-7 \, ^{\circ}\text{C}$

Auto-ignition temperature : No data available
Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapour.

Vapour pressure : No data available

Relative vapour density at 20 °C : > 1
Relative density : 0.984

Solubility : Insoluble in water. Reacts with water.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in sealed plastic containers.

10.3. Possibility of hazardous reactions

Reacts with water and moisture in air liberating hydrogen fluoride.

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Moisture. Water.

10.6. Hazardous decomposition products

Hydrogen fluoride. Organic acid vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Print date: 10/04/2019 EN (English) SDS ID: **SIH6168.0** 4/9

Safety Data Sheet

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

None of the components in this product at concentrations >0.1% are listed by IARC, NTP,

OSHA or ACGIH as a carcinogen.

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Potential adverse human health effects and

symptoms

: On contact with water and human tissue this compound liberates hydrogen fluoride

(hydrofluoric acid). Hydrofluoric acid, the hydrolysis product has demonstrated mutagenicity

and teratogenicity in laboratory bioassay.

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes (severe) skin burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : May be harmful if swallowed. For ingestion, calcium gluconate intravenously and calcium

lactate orally may be considered.

Chronic symptoms : Hydrofluoric acid, the hydrolysis product has demonstrated mutagenicity and teratogenicity in

laboratory bioassay.

Reason for classification : Expert judgment

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2920 UN-No. (IMDG) : 2920 UN-No. (IATA) : 2920 UN-No. (ADN) : 2920 UN-No. (RID) : 2920

Print date: 10/04/2019 EN (English) SDS ID: **SIH6168.0** 5/9

Safety Data Sheet

UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE LIQUID, FLAMMABLE, N.O.S. Proper Shipping Name (IMDG) : CORROSIVE LIQUID, FLAMMABLE, N.O.S.

Proper Shipping Name (IATA) : Corrosive liquid, flammable, n.o.s.

Proper Shipping Name (ADN) : CORROSIVE LIQUID, FLAMMABLE, N.O.S. Proper Shipping Name (RID) : CORROSIVE LIQUID, FLAMMABLE, N.O.S.

Transport document description (ADR) : UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (HEXYLTRIFLUOROSILANE), 8 (3), II,

(D/E)

Transport document description (IMDG) : UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (HEXYLTRIFLUOROSILANE), 8 (3), II

Transport document description (IATA) : UN 2920 Corrosive liquid, flammable, n.o.s. (HEXYLTRIFLUOROSILANE), 8 (3), II

: UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (HEXYLTRIFLUOROSILANE), 8 (3), II Transport document description (ADN) Transport document description (RID) : UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (HEXYLTRIFLUOROSILANE), 8 (3), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8 (3) Danger labels (ADR) : 8, 3



IMDG

Transport hazard class(es) (IMDG) : 8 (3) : 8.3 Danger labels (IMDG)



IATA

Transport hazard class(es) (IATA) : 8 (3) : 8, 3 Hazard labels (IATA)



ADN

Transport hazard class(es) (ADN) : 8 (3) Danger labels (ADN) : 8, 3



RID

Transport hazard class(es) (RID) : 8 (3) Danger labels (RID) : 8, 3

Print date: 10/04/2019 SDS ID: SIH6168.0 EN (English) 6/9

Safety Data Sheet



Packing group

: 11 Packing group (ADR) Packing group (IMDG) : 11 : 11 Packing group (IATA) Packing group (ADN) : 11 Packing group (RID) : 11

14.5. **Environmental hazards**

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

: CF1 Classification code (ADR) : 274 Special provisions (ADR) Limited quantities (ADR) : 11 Excepted quantities (ADR) : E2

: P001, IBC02 Packing instructions (ADR) Mixed packing provisions (ADR) : MP15 : T11

Portable tank and bulk container instructions

(ADR)

Portable tank and bulk container special : TP2, TP27

provisions (ADR)

: L4BN Tank code (ADR) Vehicle for tank carriage : FL : 2 Transport category (ADR) Special provisions for carriage - Operation S2

(ADR)

Hazard identification number (Kemler No.) : 83

Orange plates

83 2920

Tunnel restriction code (ADR) : D/E

- Transport by sea

Special provisions (IMDG) : 274 Limited quantities (IMDG) : 1 L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T11 Tank special provisions (IMDG) : TP2, TP27 EmS-No. (Fire) : F-E : S-C EmS-No. (Spillage) : C Stowage category (IMDG) Stowage and handling (IMDG) : SW1, SW2

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

- Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y840 PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 851

Print date: 10/04/2019 SDS ID: SIH6168.0 7/9 EN (English)

Safety Data Sheet

PCA max net quantity (IATA) : 1L : 855 CAO packing instructions (IATA) CAO max net quantity (IATA) : 30L ERG code (IATA) : 8F

- Inland waterway transport

Classification code (ADN) : CF1 Special provisions (ADN) : 274 Limited quantities (ADN) : 1L Excepted quantities (ADN) : E2 Carriage permitted (ADN) : T

: PP, EP, EX, A Equipment required (ADN)

Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : CF1 : 274 Special provisions (RID) Limited quantities (RID) : 1L Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02 Mixed packing provisions (RID) : MP15 Portable tank and bulk container instructions : T11

(RID)

Portable tank and bulk container special

provisions (RID)

: L4BN Tank codes for RID tanks (RID) Transport category (RID) : 2 : CE6 Colis express (express parcels) (RID) : 83

Hazard identification number (RID)

Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

: TP2, TP27

15.1.1. **EU-Regulations**

No REACH Annex XVII restrictions

HEXYLTRIFLUOROSILANE is not on the REACH Candidate List

HEXYLTRIFLUOROSILANE is not on the REACH Annex XIV List

HEXYLTRIFLUOROSILANE is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

HEXYLTRIFLUOROSILANE is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

15.1.2. **National regulations**

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

: The substance is not listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: The substance is not listed

Denmark

Print date: 10/04/2019 SDS ID: SIH6168.0 EN (English) 8/9

Safety Data Sheet

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor

Other information : Prepared by safety and environmental affairs.

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H225	Highly flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

SDS EU (REACH Annex II) - Custom

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067

Print date: 10/04/2019 EN (English) SDS ID: **SIH6168.0** 9/9