# U.S. Pharmacopeial

# SAFETY DATA SHEET

### 1. Identification

Product identifier Bismuth Subcarbonate

Other means of identification

Catalog number 1075600

**Chemical name** 2,4-Dioxa-1,5-dibismapentane, 1,3,5-trioxo **Recommended use** Specified quality tests and assay use only.

**Recommended restrictions** Not for use as a drug. Not for administration to humans or animals.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name U. S. Pharmacopeia
Address 12601 Twinbrook Parkway

Rockville MD 20852-17

20852-1790 United States

**Telephone** RS Technical Services 301-816-8129

Website www.usp.org
E-mail RSTECH@usp.org

Emergency phone number CHEMTREC within US & 1-800-424-9300

Canada

CHEMTREC outside US & +1 703-527-3887

Canada

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement Not available.

**Precautionary statement** 

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

**Substance** 

Chemical nameCommon name and synonymsCAS number%Bismuth Subcarbonate5892-10-4100

## 4. First-aid measures

**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

**Skin contact** Rinse skin with water/shower. Get medical attention if irritation develops and persists.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

Material name: Bismuth Subcarbonate usp sps us

Most important symptoms/effects, acute and delayed

Gastrointestinal disturbances.

Indication of immediate medical attention and special treatment needed

Treatment for bismuth overdose should be symptomatic and supportive and may include the following: Administer activated charcoal as a slurry. Chelation with dimercaprol may be effective if administered within 8 to 12 hours of bismuth poisoning. For seizures, administer a benzodiazepine IV. Consider phenobarbital if seizures recur. Monitor for hypotension, dysrhythmias, respiratory depression, need for endotracheal intubation, hypoglycemia, electrolyte disturbances, and hypoxia.

**General information** 

Remove from exposure. Remove contaminated clothing. For treatment advice, seek guidance from an occupational health physician or other licensed health-care provider familiar with workplace chemical exposures. In the United States, the national poison control center phone number is 1-800-222-1222. If person is not breathing, give artificial respiration. If breathing is difficult, give oxygen if available. Persons developing serious hypersensitivity (anaphylactic) reactions must receive immediate medical attention.

# 5. Fire-fighting measures

Suitable extinguishing media

Water. Foam. Dry chemical or CO2. Use fire-extinguishing media appropriate for surrounding

materials.

Unsuitable extinguishing media

None known.

Specific hazards arising from the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers. As with all fires, evacuate personnel to a safe area.

Firefighters should use self-contained breathing equipment and protective clothing.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate personal protective equipment. Avoid inhalation of dust from the spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

For waste disposal, see section 13 of the SDS. Avoid the generation of dusts during clean-up. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

As a general rule, when handling USP Reference Standards, avoid all contact and inhalation of dust, mists, and/or vapors associated with the material. Clean equipment and work surfaces with suitable detergent or solvent after use. After removing gloves, wash hands and other exposed skin

Conditions for safe storage, including any incompatibilities

Store in tight container as defined in the USP-NF. This material should be handled and stored per label instructions to ensure product integrity.

## 8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Airborne exposure should be controlled primarily by engineering controls such as general dilution ventilation, local exhaust ventilation, or process enclosure. Local exhaust ventilation is generally preferred to general exhaust because it can control the contaminant at its source, preventing dispersion into the work area. An industrial hygiene survey involving air monitoring may be used to determine the effectiveness of engineering controls. Effectiveness of engineering controls intended for use with highly potent materials should be assessed by use of nontoxic surrogate materials.

#### Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with sideshields are recommended. Face shields or goggles may be required if splash potential exists or if corrosive materials are present. Approved eye protection (e.g., bearing the ANSI Z87 or CSA stamp) is preferred. Maintain eyewash facilities in the work area.

Skin protection Hand protection

Chemically compatible gloves. For handling solutions, ensure that the glove material is protective against the solvent being used. Use handling practices that minimize direct hand contact. Employees who are sensitive to natural rubber (latex) should use nitrile or other synthetic nonlatex gloves. Use of powdered latex gloves should be avoided due to the risk of latex allergy.

Material name: Bismuth Subcarbonate 1075600 Version #: 02 Revision date: 11-07-2016 Issue date: 09-30-2004 Other For handling of laboratory scale quantities, a cloth lab coat is recommended. Where significant

quantities are handled, work clothing may be necessary to prevent take-home contamination.

**Respiratory protection**Where respirators are deemed necessary to reduce or control occupational exposures, use NIOSH-approved respiratory protection and have an effective respirator program in place

(applicable U.S. regulation OSHA 29 CFR 1910.134).

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid.
Form Powder.

Color White. Off-white.

OdorOdorless.Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boilingNot available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.14 kPa at 25 °C

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble.

Solubility (other) Soluble in dilute acids.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Chemical family Bismuth salt.

Molecular formula (BiO)2CO3

Molecular weight 509.97

Specific gravity 6.86

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.Incompatible materialsStrong oxidizing agents. Strong acids.

**Hazardous decomposition** 

products

Irritating and/or toxic fumes or gases. Emits toxic fumes under fire conditions. BiOx.

Material name: Bismuth Subcarbonate

1075600 Version #: 02 Revision date: 11-07-2016 Issue date: 09-30-2004

## 11. Toxicological information

Information on likely routes of exposure

InhalationKnowledge about health hazard is incomplete.Skin contactKnowledge about health hazard is incomplete.Eye contactKnowledge about health hazard is incomplete.IngestionKnowledge about health hazard is incomplete.

Symptoms related to the physical, chemical, and toxicological characteristics

Gastrointestinal disturbances. Mouth sores.

#### Information on toxicological effects

**Acute toxicity** 

Product Species Test Results

Bismuth Subcarbonate (CAS 5892-10-4)

Oral

LD50 Rat 22 g/kg

Skin corrosion/irritation Knowledge about health hazard is incomplete.

Serious eye damage/eye Knowledge about health hazard is incomplete.

irritation

Respiratory or skin sensitization

Respiratory sensitization Knowledge about health hazard is incomplete.

Skin sensitization Knowledge about health hazard is incomplete.

Germ cell mutagenicity Knowledge about mutagenicity is incomplete.

Carcinogenicity Knowledge about carcinogenicity is incomplete.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**Knowledge about health hazard is incomplete. **Specific target organ toxicity -**Knowledge about health hazard is incomplete.

single exposure

...g.c oxpoodic

Knowledge about health hazard is incomplete.

Specific target organ toxicity - repeated exposure

repeated exposure
Aspiration hazard

Based on available data, the classification criteria are not met.

# 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions** Dispose in accordance with all applicable regulations. Under RCRA, it is the responsibility of the

user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Local disposal regulations

Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

1075600 Version #: 02 Revision date: 11-07-2016 Issue date: 09-30-2004

Material name: Bismuth Subcarbonate

.

USP SDS US

## 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

**General information** It is the shipper's responsibility to determine the correct transport classification at the time of

shipment.

# 15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous N

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US state regulations**

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

**US. California Proposition 65** 

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Material name: Bismuth Subcarbonate

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date 09-30-2004 11-07-2016 **Revision date** 

Version # 02

United States & Puerto Rico

USP Reference Standards are sold for chemical test and assay purposes only, and NOT for Disclaimer

Toxic Substances Control Act (TSCA) Inventory

human consumption. The information contained herein is applicable solely to the chemical substance when used as a USP Reference Standard and does not necessarily relate to any other use of the substance described, (i.e. at different concentrations, in drug dosage forms, or in bulk quantities). USP Reference Standards are intended for use by persons having technical skill and at their own discretion and risk. This information has been developed by USP staff from sources considered reliable but has not been independently verified by the USP. Therefore, the USP Convention cannot guarantee the accuracy of the information in these sources nor should the statements contained herein be considered an official expression. NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE is made with respect to the information contained

herein.

1075600 Version #: 02 Revision date: 11-07-2016 Issue date: 09-30-2004

Yes