SAFETY DATA SHEET



1. Identification

Product identifier Cisatracurium Besylate System Suitability Mixture

Other means of identification

Catalog number 1134131

Recommended use For analytical laboratory use only.

Recommended restrictions Not for use as a drug. Not for administration to humans or animals.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name U. S. Pharmacopeia
Address 12601 Twinbrook Parkway

Rockville MD 20852-17

20852-1790 United States

Telephone Technical Services 301-816-8129

Website www.usp.org

E-mail RSTECH@usp.org

Emergency phone number CHEMTREC within US & 1-800-424-9300

Canada

CHEMTREC outside US & +1 703-527-3887

Canada

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 3

Acute toxicity, dermal Category 2
Serious eye damage/eye irritation Category 2B

Specific target organ toxicity, single exposure Category 2 (neuromuscular system)

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements





Signal word Danger

Hazard statement Toxic if swallowed. Fatal in contact with skin. Causes eye irritation. May cause damage to organs

(neuromuscular system).

Precautionary statement

Prevention Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not get in

eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face

protection.

Response If swallowed: Immediately call a poison center/doctor. Rinse mouth. If on skin: Wash with plenty of

water. Immediately call a poison center/doctor. Take off immediately all contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention. If exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise None known.

classified (HNOC)

Material name: Cisatracurium Besylate System Suitability Mixture

1134131 Version #: 03 Revision date: 03-01-2021 Issue date: 03-01-2021

3. Composition/information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
R-cis-R'-trans-Atracurium Besylat	e	96946-44-0	30-40
R-trans-R'-trans-Atracurium Besylate		96946-46-2	5-10
Cisatracurium Besylate		96946-42-8	>50

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Skin contactTake off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Wash contaminated clothing before reuse.

Eye contact Rinse with water. Continue rinsing. Remove contact lenses, if present and easy to do. Get medical

attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth thoroughly. Do not use

mouth-to-mouth method if substance is ingested. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into

the lungs.

Most important symptoms/effects, acute and

symptoms/effects, acute and delayed

Muscle weakness. Pharmacologically active material. Occupational exposure may cause physiological effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

Remove from exposure. Remove contaminated clothing. For treatment advice, seek guidance from an occupational health physician or other licensed health-care provider familiar with workplace chemical exposures. In the United States, the national poison control center phone number is 1-800-222-1222. If person is not breathing, give artificial respiration. If breathing is difficult, give oxygen if available. Persons developing serious hypersensitivity (anaphylactic) reactions must receive immediate medical attention.

5. Fire-fighting measures

Suitable extinguishing media Water. Foam. Dry chemical or CO2. Use fire-extinguishing media appropriate for surrounding

materials.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Fire fighting

Specific methods

equipment/instructions

Use water spray to cool unopened containers. As with all fires, evacuate personnel to a safe area.

Use standard firefighting procedures and consider the hazards of other involved materials.

Firefighters should use self-contained breathing equipment and protective clothing.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Wear appropriate personal protective equipment. Avoid inhalation of dust from the spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination. For

waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Material name: Cisatracurium Besylate System Suitability Mixture
1134131 Version #: 03 Revision date: 03-01-2021 Issue date: 03-01-2021

7. Handling and storage

Precautions for safe handling

As a general rule, when handling USP materials, avoid all contact and inhalation of dust, mists, and/or vapors associated with the material. Clean equipment and work surfaces with suitable detergent or solvent after use. After removing gloves, wash hands and other exposed skin thoroughly. Select and use containment devices and personal protective equipment based on a risk assessment of material potency and exposure potential.

Conditions for safe storage, including any incompatibilities

Store in tight container. This material should be handled and stored per label instructions to ensure product integrity.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Exposure limit values

Components	Туре	Value	
Cisatracurium Besylate (CAS 96946-42-8)	STEL	170 micrograms/m3	
	TWA	50 micrograms/m3	

Biological limit values

Appropriate engineering controls

For laboratory operations, use local exhaust ventilation or a ventilated enclosure for high energy operations such as particle sizing. Control exposures to below the occupational exposure level (if available). Select and use containment devices and personal protective equipment based on a risk assessment of exposure potential. Cover all containers for solutions and slurries while being transferred.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields, chemical splash goggles, or full face shield, if necessary.

No biological exposure limits noted for the ingredient(s).

Base the choice of protection on the job activity and potential for contact with eyes or face. An

emergency eye wash station should be available.

Skin protection

Hand protection Wear nitrile or other impervious gloves if skin contact is possible. When the material is dissolved

or suspended in an organic solvent, wear gloves that provide protection against the solvent.

Other Train employees in proper gowning and degowning practices. Wear lab coat. Base the choice of

skin protection on the job activity, potential for skin contact and solvents and reagents in use. Do

not wear protective garments in common areas (e.g., cafeterias) or out-of-doors.

Respiratory protection Respirators are generally not required for laboratory operations. Use a tight-fitting full-face

respirator with HEPA filters for spill cleanup. Choose respiratory protection appropriate to the task

and the level of existing engineering controls.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Handling practices in this SDS are recommendations for laboratory use of USP materials.

9. Physical and chemical properties

Appearance Appearance descriptions are general information and not specific to any USP lot.

Physical stateSolid.FormPowder.

Color Off-white. Pale yellow.

Odor Not available.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

USP SDS US

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density

Relative density

Not available.

Solubility(ies)

Not available. Solubility (water) Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Irritating and/or toxic fumes or gases. Emits toxic fumes under fire conditions. NOx. SOx.

11. Toxicological information

Information on likely routes of exposure

Inhalation Knowledge about health hazard is incomplete.

Skin contact Fatal in contact with skin. Eye contact Causes eye irritation. Ingestion Toxic if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Irregular heartbeat. Muscle weakness. Low blood pressure.

Information on toxicological effects

Fatal in contact with skin. Toxic if swallowed. A related material showed oral toxicity in animals. A **Acute toxicity**

related material showed dermal toxicity in animals.

Skin corrosion/irritation Knowledge about health hazard is incomplete.

Serious eve damage/eve

irritation

Causes eye irritation. In animal tests, a related material caused eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Knowledge about health hazard is incomplete. Skin sensitization Knowledge about health hazard is incomplete. Germ cell mutagenicity Knowledge about mutagenicity is incomplete.

Mutagenicity

Cisatracurium Besylate Ames test

Result: Negative. Micronucleus assay Result: Negative.

Mutagenicity, In vitro human lymphocyte cytogenetics assay

Result: Negative.

Mutagenicity, Mouse lymphoma assay

Result: Equivocal.

Mutagenicity, Rat bone marrow cytogenetics assay

Result: Negative.

Carcinogenicity Knowledge about carcinogenicity is incomplete.

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Knowledge about health hazard is incomplete.

Reproductivity

Cisatracurium Besylate 0.5 - 1 mg/kg Reproductivity, administered intravenously

> Result: Negative. Species: Rat

4 mg/kg/day Reproductivity, administered subcutaneously

Result: Negative. Species: Rat

Specific target organ toxicity -

single exposure

May cause damage to organs (neuromuscular system).

Specific target organ toxicity -

repeated exposure

Knowledge about health hazard is incomplete.

Based on available data, the classification criteria are not met. **Aspiration hazard**

Further information Pharmacologically active material. Occupational exposure may cause physiological effects.

12. Ecological information

Ecotoxicity

Components **Species Test Results**

Cisatracurium Besylate (CAS 96946-42-8)

Aquatic

Crustacea EC40 Water flea (Daphnia magna) 14 mg/l, 48 hours

Persistence and degradability

Expected to be readily biodegradable.

Bioaccumulative potential

Octanol/water partition coefficient log Kow

Cisatracurium Besylate -2.12

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose in accordance with all applicable regulations. Under RCRA, it is the responsibility of the

user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN2811

UN proper shipping name Transport hazard class(es) Toxic solid, organic, n.o.s. (Cisatracurium besylate mixture)

Class

6.1 Subsidiary risk Packing group Ш

Material name: Cisatracurium Besylate System Suitability Mixture 1134131 Version #: 03 Revision date: 03-01-2021 Issue date: 03-01-2021

IATA

UN2811 **UN** number

Toxic solid, organic, n.o.s. (Cisatracurium besylate mixture) **UN proper shipping name**

Transport hazard class(es)

Class 6.1 Subsidiary risk Packing group Ш Other information

Passenger and cargo

aircraft Cargo aircraft only Allowed with restrictions. Allowed with restrictions.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

DOT; IATA



General information

It is the shipper's responsibility to determine the correct transport classification at the time of shipment.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910,1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Acute toxicity (any route of exposure) Serious eye damage or eye irritation categories

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

6/7

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 03-01-2021

 Revision date
 03-01-2021

Version # 03

Disclaimer USP materials are sold for analytical laboratory use only, and NOT for human consumption. The

information contained herein is applicable solely to the chemical substance when used for analytical laboratory use and does not necessarily relate to any other use of the substance described, (i.e. at different concentrations, in drug dosage forms, or in bulk quantities). USP materials are intended for use by persons having technical skill and at their own discretion and risk. This information has been developed by USP staff from sources considered reliable but has not been independently verified by the USP. Therefore, the USP Convention cannot guarantee the accuracy of the information in these sources nor should the statements contained herein be considered an official expression. NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE is made with respect to the information contained herein.