



## 1. Identification

Product identifier	1-Methyl-4-nitrosopiperazi	ne (MNP) Solutio	n
Other means of identification			
Catalog number	1A04020		
Chemical name	1-Methyl-4-nitrosopiperazine	9	
Recommended use	For analytical laboratory use	only.	
Recommended restrictions	Not for use as a drug. Not fo	or administration to	humans or animals.
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	U. S. Pharmacopeia 12601 Twinbrook Parkway Rockville MD 20852-1790 United States		
Telephone	Customer Service	301-881-0666	
Website	www.usp.org		
E-mail	PAITech@usp.org		
Emergency phone number	CHEMTREC within US &	1-800-424-9300	
	CHEMTREC outside US & Canada	+1 703-527-3887	7
2. Hazard(s) identification			
Physical hazards	Flammable liquids		Category 2
Health hazards	Acute toxicity, oral		Category 3
	Acute toxicity, dermal		Category 3
	Acute toxicity, inhalation		Category 3
	Carcinogenicity		Category 2
	Specific target organ toxicity	, single exposure	Category 1
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	Highly flammable liquid and Suspected of causing cance	vapor. Toxic if swa r. Causes damage	allowed. Toxic in contact with skin. Toxic if inhaled. e to organs.
Precautionary statement			
Prevention	Obtain special instructions b and understood. Keep away explosion-proof electrical/ve non-sparking tools. Take pre mist/vapors. Wash thorough protection/face protection. U	efore use. Do not from heat/sparks/ ntilating/lighting ec ecautionary measu nly after handling. ' se only outdoors c	handle until all safety precautions have been read open flames/hot surfaces No smoking. Use quipment. Keep container tightly closed. Use only ires against static discharge. Do not breathe Wear protective gloves/protective clothing/eye or in a well-ventilated area.
Response	If exposed: Call a poison cer immediately all contaminate before reuse. If inhaled: Ren	nter/doctor. If swal d clothing. Rinse s nove person to fre	lowed: Rinse mouth. If on skin (or hair): Take off kin with water/shower. Wash contaminated clothing sh air and keep comfortable for breathing. In case

of fire: Use appropriate media to extinguish.

Storage	Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Pharmaceutical related compound of unknown potency

## 3. Composition/information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Methanol	Wood alcohol	67-56-1	99.9
1-METHYL-4-NITROSOF	PIPERAZIN	16339-07-4	0.1

Information provided in the SDS is not specific to the lot provided. Refer to the label and USP Certificate/Product Information Sheet for the assigned value of a particular lot.

4. First-aid measures	
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Do not use mouth-to-mouth method if the substance is inhaled. Call a poison center or doctor/physician.
Skin contact	Wash off immediately with plenty of water. Remove and isolate contaminated clothing and shoes. Get medical advice/attention if you feel unwell. Wash clothing separately before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do not use mouth-to-mouth method if substance is ingested. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Call a poison center or doctor/physician.
Most important symptoms/effects, acute and delayed	Central nervous system effects. Metabolic acidosis.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Treatment of methyl alcohol overdose may include the following: Do not induce vomiting because of the potential for CNS depression and aspiration. Acidosis may not develop until 18 to 48 hours post-ingestion. Temporize with IV sodium bicarbonate; monitor arterial blood gasses to guide dosing. Patients with metabolic acidosis need antidotal therapy (ethanol or fomepizole) and hemodialysis. Monitor for hypotension, dysrhythmias, respiratory depression, hypoglycemia, electrolyte disturbances, and hypoxia. Monitor arterial blood gasses, electrolytes, acid-base status, CBC (especially MCV) and renal function tests. Monitor blood levels of methanol and formate.
General information	Remove from exposure. Remove contaminated clothing. For treatment advice, seek guidance from an occupational health physician or other licensed health-care provider familiar with workplace chemical exposures. In the United States, the national poison control center phone number is 1-800-222-1222. If person is not breathing, give artificial respiration. If breathing is difficult, give oxygen if available. Persons developing serious hypersensitivity (anaphylactic) reactions must receive immediate medical attention.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	By heating and fire, harmful vapors/gases may be formed.
Special protective equipment and precautions for firefighters	Use protective equipment appropriate for surrounding materials.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Wear appropriate personal protective equipment. Avoid inhalation of vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Absorb spillage with suitable absorbent material. Remove sources of ignition. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.
7. Handling and storage	
Precautions for safe handling	As a general rule, when handling USP materials, avoid all contact and inhalation of dust, mists, and/or vapors associated with the material. Clean equipment and work surfaces with suitable detergent or solvent after use. After removing gloves, wash hands and other exposed skin thoroughly. Select and use containment devices and personal protective equipment based on a risk assessment of material potency and exposure potential.
Conditions for safe storage, including any incompatibilities	Store in tight container. This material should be handled and stored per label instructions to ensure product integrity.

## 8. Exposure controls/personal protection

### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

U.S OSHA Components	Туре		v	alue	Form
Methanol (CAS 67-56-1)	PEL		2	00 ppm	Skin
US. OSHA Table Z-1 Limit	s for Air Contaminants	6 (29 CFR 1910.10	00)		
Components	Туре		v	alue	
Methanol (CAS 67-56-1)	PEL		20	60 mg/m3	
			2	00 ppm	
ACGIH					
Components	Туре		V	alue	Form
Methanol (CAS 67-56-1)	STEL	-	2	50 ppm	Skin
US. ACGIH Threshold Lim	it Values				
Components	Туре		v	alue	
Methanol (CAS 67-56-1)	STEL	-	2	50 ppm	
	TWA		20	00 ppm	
U.S NIOSH					
Components	Туре		v	alue	Form
Methanol (CAS 67-56-1)	IDLH		6	000 ppm	
	STEL		2	50 ppm	Skin
US. NIOSH: Pocket Guide	to Chemical Hazards				
Components	Туре		v	alue	
Methanol (CAS 67-56-1)	STEL	-	32	25 mg/m3	
			2	50 ppm	
	TWA		20	60 mg/m3	
			20	00 ppm	
logical limit values					
ACGIH Biological Exposu	re Indices				
Components	Value	Determinant	Specimen	Sampling	Time
Methanol (CAS 67-56-1)	15 mg/l	Methanol	Urine	*	
* - For sampling details, ple	ase see the source docu	iment.			

### Exposure guidelines

US - California OELs: Skin d	esignation	
Methanol (CAS 67-56-1)		Can be absorbed through the skin.
US - Minnesota Haz Subs: S	kin designation applies	
Methanol (CAS 67-56-1)		Skin designation applies.
US - Tennessee OELs: Skin	designation	
Methanol (CAS 67-56-1)		Can be absorbed through the skin.
US ACGIH Threshold Limit V	alues: Skin designation	
Methanol (CAS 67-56-1)		Danger of cutaneous absorption
US NIOSH Pocket Guide to C	Chemical Hazards: Skin desig	nation
Methanol (CAS 67-56-1)		Can be absorbed through the skin.
Appropriate engineering controls	No open handling. For laborate and/or enclosure or isolator sy (e.g., vortexing, pipetting, pum connections. Control exposure use containment devices and p exposure potential. Cover all c	bry operation, use an engineered local exhaust ventilation (LEV) stem for procedures where aerosolization of solutions may occur ping). Control the potential for spills and leaks by securing all s to below the occupational exposure level (if available). Select and personal protective equipment based on a risk assessment of ontainers for solutions and slurries while being transferred.
Individual protection measures,	such as personal protective e	quipment
Eye/face protection	Wear safety glasses with side Base the choice of protection of emergency eye wash station s	shields, chemical splash goggles, or full face shield, if necessary. on the job activity and potential for contact with eyes or face. An hould be available.
Skin protection		
Hand protection	Consider double gloves. Wear the material is dissolved or sus against the solvent.	nitrile or other impervious gloves if skin contact is possible. When spended in an organic solvent, wear gloves that provide protection
Other	Train employees in proper gow disposable sleeve covers and skin protection on the job activ not wear protective garments i	ning and degowning practices. Wear disposable lab coat, two pair of gloves as appropriate for the task. Base the choice of ity, potential for skin contact and solvents and reagents in use. Do n common areas (e.g., cafeterias) or out-of-doors.
Respiratory protection	Use a powered air-purifying re- cover for spill cleanup. Choose existing engineering controls.	spirator (PAPR) with HEPA filters, disposable outerware and head e respiratory protection appropriate to the task and the level of
Thermal hazards	Wear appropriate thermal prote	ective clothing, when necessary.
General hygiene considerations	Pharmacological effects may b are recommendations for labor	e seen with occupational exposure. Handling practices in this SDS ratory use of USP materials.

## 9. Physical and chemical properties

Appearance	Appearance descriptions are general information and not specific to any USP lot.
Physical state	Liquid.
Form	Liquid.
Color	Colorless.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.

Solubility(ies)	
Solubility (water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	/

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the decomposition temperature. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

, , , , , , , , , , , , , , , , , , ,	•		
Inhalation	Toxic if inhaled. May cause da	mage to organs by inha	llation.
Skin contact	Toxic in contact with skin.		
Eye contact	Knowledge about health hazar	d is incomplete.	
Ingestion	Toxic if swallowed.		
Symptoms related to the physical, chemical and toxicological characteristics	Difficulty in breathing. Central nervous system effects. Visual disturbances. Gastrointestinal disturbances. Metabolic acidosis. Seizures.		
Information on toxicological effe	cts		
Acute toxicity	Toxic if inhaled. Toxic in contact	ct with skin. Toxic if swa	allowed.
Components	Species		Test Results
1-METHYL-4-NITROSOPIPERAZII	NE (CAS 16339-07-4)		
<u>Acute</u> Oral			
LD50	Rat		100 mg/kg
Methanol (CAS 67-56-1)			
Acute			
	Pat		1187 2760 mg/kg
			1107 - 2709 Highkg
Skin corrosion/irritation	Knowledge about health hazar	a is incomplete.	
Serious eye damage/eye irritation	Knowledge about health hazar	Knowledge about health hazard is incomplete.	
Local effects Methanol		Eye irritation Result: Non-irritant. Species: Rabbit Skin irritation Result: Non-irritant. Species: Rabbit	
Respiratory or skin sensitization			
Respiratory sensitization	Knowledge about sensitization	hazard is incomplete.	
Skin sensitization	Knowledge about sensitization	hazard is incomplete.	

Methanol		
Wethanor		Maximisation Test
		Result: Non-sensitizing
		Organ: Skin
Germ cell mutagenicity	Knowledge about mutagenicity	v is incomplete
Muta naniaita	Knowledge about mutagementy	is incomplete.
Mutagenicity		Ames test (Salmonella typhimurium)
Methanol		Result: Negative (+/- activation)
		Mutagenicity: Chromosome damage in mice
		Result: Negative
		Mutagenicity: Grasshoppers
		Result: Positive
		Result: Positive
Carcinogenicity	Suspected of causing cancer.	
	No specific information regardi Nitrosamines as a class are co	ng the carcinogenic potential of this material has been found. Insidered to be carcinogens based on results of animal studies.
Methanol		10 - 1000 ppm Carcinogenicity
		Result: Not carcinogenic
		Species: Rat
		Test Duration: 18 months
		Carcinogenicity: 25mL/twice weekly
		Result: One tumor out of 80 specimens.
		Species: Mouse
		Test Duration: 50 weeks
IARC Monographs Overall F	Evaluation of Carcinogenicity	
Not listed		
Not listed. OSHA Specifically Regulated	d Substances (29 CFR 1910.10	01-1053)
Not listed. OSHA Specifically Regulated Not listed.	d Substances (29 CFR 1910.10	01-1053) Digens
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino	01-1053) ogens
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed.	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino	ogens
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar	<b>001-1053)</b> O <b>gens</b> d is incomplete.
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar	<b>01-1053)</b> <b>ogens</b> d is incomplete. 20000 ppm Gestational study. Increased incidence of
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar	<b>bogens</b> d is incomplete. 20000 ppm Gestational study, Increased incidence of anomalies and maternal effects at high doses.
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar	<b>bogens</b> d is incomplete. 20000 ppm Gestational study, Increased incidence of anomalies and maternal effects at high doses. Species: Rat
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar	bogens d is incomplete. 20000 ppm Gestational study, Increased incidence of anomalies and maternal effects at high doses. Species: Rat Organ: Inhalation
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar	pogens d is incomplete. 20000 ppm Gestational study, Increased incidence of anomalies and maternal effects at high doses. Species: Rat Organ: Inhalation Developmental Toxicity, Behavioral effects in offspring; increased incidence of anomalies: maternal toxicity
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar	bogens d is incomplete. 20000 ppm Gestational study, Increased incidence of anomalies and maternal effects at high doses. Species: Rat Organ: Inhalation Developmental Toxicity, Behavioral effects in offspring; increased incidence of anomalies; maternal toxicity. Species: Rat
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar	bogens d is incomplete. 20000 ppm Gestational study, Increased incidence of anomalies and maternal effects at high doses. Species: Rat Organ: Inhalation Developmental Toxicity, Behavioral effects in offspring; increased incidence of anomalies; maternal toxicity. Species: Rat Gestational study, High doses increased fetal resorptions
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar	bogens d is incomplete. 20000 ppm Gestational study, Increased incidence of anomalies and maternal effects at high doses. Species: Rat Organ: Inhalation Developmental Toxicity, Behavioral effects in offspring; increased incidence of anomalies; maternal toxicity. Species: Rat Gestational study, High doses increased fetal resorptions and malformations, including neural, cranial, and ocular
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar	Dogens d is incomplete. 20000 ppm Gestational study, Increased incidence of anomalies and maternal effects at high doses. Species: Rat Organ: Inhalation Developmental Toxicity, Behavioral effects in offspring; increased incidence of anomalies; maternal toxicity. Species: Rat Gestational study, High doses increased fetal resorptions and malformations, including neural, cranial, and ocular defects. Species: Mouse
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar	ogens d is incomplete. 20000 ppm Gestational study, Increased incidence of anomalies and maternal effects at high doses. Species: Rat Organ: Inhalation Developmental Toxicity, Behavioral effects in offspring; increased incidence of anomalies; maternal toxicity. Species: Rat Gestational study, High doses increased fetal resorptions and malformations, including neural, cranial, and ocular defects. Species: Mouse
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar	ogens d is incomplete. 20000 ppm Gestational study, Increased incidence of anomalies and maternal effects at high doses. Species: Rat Organ: Inhalation Developmental Toxicity, Behavioral effects in offspring; increased incidence of anomalies; maternal toxicity. Species: Rat Gestational study, High doses increased fetal resorptions and malformations, including neural, cranial, and ocular defects. Species: Mouse
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar Causes damage to organs. Knowledge about health hazar	bogens d is incomplete. 20000 ppm Gestational study, Increased incidence of anomalies and maternal effects at high doses. Species: Rat Organ: Inhalation Developmental Toxicity, Behavioral effects in offspring; increased incidence of anomalies; maternal toxicity. Species: Rat Gestational study, High doses increased fetal resorptions and malformations, including neural, cranial, and ocular defects. Species: Mouse
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Aspiration hazard	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar Causes damage to organs. Knowledge about health hazar	out-1053) Degens d is incomplete. 20000 ppm Gestational study, Increased incidence of anomalies and maternal effects at high doses. Species: Rat Organ: Inhalation Developmental Toxicity, Behavioral effects in offspring; increased incidence of anomalies; maternal toxicity. Species: Rat Gestational study, High doses increased fetal resorptions and malformations, including neural, cranial, and ocular defects. Species: Mouse d is incomplete.
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Reproductivity Methanol Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Further information	d Substances (29 CFR 1910.10 gram (NTP) Report on Carcino Knowledge about health hazar Causes damage to organs. Knowledge about health hazar Knowledge about health hazar Pharmaceutical related compo	Dot-1053) Degens d is incomplete. 20000 ppm Gestational study, Increased incidence of anomalies and maternal effects at high doses. Species: Rat Organ: Inhalation Developmental Toxicity, Behavioral effects in offspring; increased incidence of anomalies; maternal toxicity. Species: Rat Gestational study, High doses increased fetal resorptions and malformations, including neural, cranial, and ocular defects. Species: Mouse d is incomplete. d is incomplete. und of unknown potency It is not known if occupational exposure

# 12. Ecological information

Ecotoxicity					
Product		Species	Test Results		
1-Methyl-4-nitrosopiperazine (MNP) Solution					
	Aquatic				
	Crustacea	EC50	Daphnia	17200.5332 mg/l, 48 hours estimated	
	Fish	LC50	Fish	20495.4961 mg/l, 96 hours estimated	

Components		Species	Test Results	
Methanol (CAS 67-56-1)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.			
Bioaccumulative potential				
Mobility in soil	No data available.			
Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.			

# 13. Disposal considerations

Disposal instructions	Dispose in accordance with all applicable regulations. Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D001: Waste Flammable material with a flash point <140 F U154: Waste Methyl alcohol The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

# 14. Transport information

# DOT

UN number	UN1230
UN proper shipping name	Methanol, solution (Methanol RQ = 5005 LBS)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	II
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242
ΙΑΤΑ	
UN number	UN1230
UN proper shipping name	Methanol solution (Methanol)
Transport hazard class(es)	
Class	3
Subsidiary risk	6.1(PGI, II)
Packing group	II
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and	
the IBC Code	



### **US state regulations**

#### California Proposition 65

**WARNING:** This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

### California Proposition 65 - CRT: Listed date/Developmental toxin

Methanol (CAS 67-56-1) Listed: March 16, 2012 US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Methanol (CAS 67-56-1)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	04-25-2023
Version #	01
Disclaimer	USP materials are sold for analytical laboratory use only, and NOT for human consumption. The information contained herein is applicable solely to the chemical substance when used for analytical laboratory use and does not necessarily relate to any other use of the substance described, (i.e. at different concentrations, in drug dosage forms, or in bulk quantities). USP materials are intended for use by persons having technical skill and at their own discretion and risk. This information has been developed by USP staff from sources considered reliable but has not been independently verified by the USP. Therefore, the USP Convention cannot guarantee the accuracy of the information in these sources nor should the statements contained herein be considered an official expression. NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE is made with respect to the information contained herein.