



SAFETY DATA SHEET

1. Identification

Product identifier	Deutero N-Nitrosodibutylamine (NDBA-d18) Solution	
Other means of identification		
Catalog number	1A05420	
Chemical name	N,N-Bis(butyl-d9)nitrous amide	
Recommended use	For analytical laboratory use only.	
Recommended restrictions	Not for use as a drug. Not for administration to humans or animals.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	U. S. Pharmacopeia	
Address	12601 Twinbrook Parkway Rockville MD 20852-1790 United States	
Telephone	Customer Service	301-881-0666
Website	www.usp.org	
E-mail	AMTech@usp.org	
Emergency phone number	CHEMTREC within US & Canada	1-800-424-9300
	CHEMTREC outside US & Canada	+1 703-527-3887

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 2
Health hazards	Acute toxicity, oral	Category 3
	Acute toxicity, dermal	Category 3
	Acute toxicity, inhalation	Category 3
	Carcinogenicity	Category 2
	Specific target organ toxicity, single exposure	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	Highly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled. Suspected of causing cancer. Causes damage to organs.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting equipment. Keep container tightly closed. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist/vapors. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area.
Response	If exposed: Call a poison center/doctor. If swallowed: Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. In case of fire: Use appropriate media to extinguish.

Storage	Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Methanol		67-56-1	99.9
Deutero N-Nitrosodibutylamine (NDBA-d18)		1219798-82-9	0.1

Information provided in the SDS is not specific to the lot provided. Refer to the label and USP Certificate/Product Information Sheet for the assigned value of a particular lot.

4. First-aid measures

Inhalation	Remove person to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if the substance is inhaled. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a poison center or doctor/physician.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if substance is ingested. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Most important symptoms/effects, acute and delayed	Central nervous system effects. Metabolic acidosis.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Treatment of methyl alcohol overdose may include the following: Do not induce vomiting because of the potential for CNS depression and aspiration. Acidosis may not develop until 18 to 48 hours post-ingestion. Temporize with IV sodium bicarbonate; monitor arterial blood gasses to guide dosing. Patients with metabolic acidosis need antidotal therapy (ethanol or fomepizole) and hemodialysis. Monitor for hypotension, dysrhythmias, respiratory depression, hypoglycemia, electrolyte disturbances, and hypoxia. Monitor arterial blood gasses, electrolytes, acid-base status, CBC (especially MCV) and renal function tests. Monitor blood levels of methanol and formate.
General information	Remove from exposure. Remove contaminated clothing. For treatment advice, seek guidance from an occupational health physician or other licensed health-care provider familiar with workplace chemical exposures. In the United States, the national poison control center phone number is 1-800-222-1222. If person is not breathing, give artificial respiration. If breathing is difficult, give oxygen if available. Persons developing serious hypersensitivity (anaphylactic) reactions must receive immediate medical attention.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	By heating and fire, harmful vapors/gases may be formed.
Special protective equipment and precautions for firefighters	Use protective equipment appropriate for surrounding materials.
Fire fighting equipment/instructions	As with all fires, evacuate personnel to a safe area. Firefighters should use self-contained breathing equipment and protective clothing. Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Wear appropriate personal protective equipment. Avoid inhalation of vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Absorb spillage with suitable absorbent material. Remove sources of ignition. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

As a general rule, when handling USP materials, avoid all contact and inhalation of dust, mists, and/or vapors associated with the material. Clean equipment and work surfaces with suitable detergent or solvent after use. After removing gloves, wash hands and other exposed skin thoroughly. Select and use containment devices and personal protective equipment based on a risk assessment of material potency and exposure potential.

Conditions for safe storage, including any incompatibilities

Store in tight container. This material should be handled and stored per label instructions to ensure product integrity.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Methanol (CAS 67-56-1)	PEL	260 mg/m ³
		200 ppm

US. ACGIH Threshold Limit Values (TLV)

Components	Type	Value
Methanol (CAS 67-56-1)	STEL	250 ppm
	TWA	200 ppm

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

Components	Type	Value
Methanol (CAS 67-56-1)	STEL	325 mg/m ³
		250 ppm
	TWA	260 mg/m ³
		200 ppm

Biological limit values

ACGIH Biological Exposure Indices (BEI)

Components	Value	Determinant	Specimen	Sampling Time
Methanol (CAS 67-56-1)	15 mg/l	Methanol	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

Methanol (CAS 67-56-1) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Methanol (CAS 67-56-1) Skin designation applies.

US - Tennessee OELs: Skin designation

Methanol (CAS 67-56-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Methanol (CAS 67-56-1) Danger of cutaneous absorption

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Methanol (CAS 67-56-1) Can be absorbed through the skin.

Appropriate engineering controls	For laboratory operations, use good technique and limit open handling. Control exposures to below the occupational exposure level (if available). Select and use containment devices and personal protective equipment based on a risk assessment of exposure potential. Cover all containers for solutions and slurries while being transferred.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields, chemical splash goggles, or full face shield, if necessary. Base the choice of protection on the job activity and potential for contact with eyes or face. An emergency eye wash station should be available.
Skin protection	
Hand protection	Wear nitrile or other impervious gloves if skin contact is possible. When the material is dissolved or suspended in an organic solvent, wear gloves that provide protection against the solvent.
Other	Wear lab coat. Base the choice of skin protection on the job activity, potential for skin contact and solvents and reagents in use. Do not wear protective garments in common areas (e.g., cafeterias) or out-of-doors.
Respiratory protection	Respirators are generally not required for laboratory operations. Choose respiratory protection appropriate to the task and the level of existing engineering controls.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Handling practices in this SDS are recommendations for laboratory use of USP materials.

9. Physical and chemical properties

Appearance	Appearance descriptions are general information and not specific to any USP lot.
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.

Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Irritating and/or toxic fumes or gases. Emits toxic fumes under fire conditions.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Toxic if inhaled. May cause damage to organs by inhalation.
Skin contact	Toxic in contact with skin.
Eye contact	Knowledge about health hazard is incomplete.
Ingestion	Toxic if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics	Central nervous system effects. Difficulty breathing. Visual disturbances. Metabolic acidosis. Gastrointestinal disturbances. Seizures.
---	---

Information on toxicological effects

Acute toxicity	Toxic if inhaled. Toxic in contact with skin. Toxic if swallowed.
-----------------------	---

Components	Species	Test Results
Methanol (CAS 67-56-1)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	17100 mg/kg
		15800 mg/kg
Inhalation		
<i>Vapor</i>		
LC50	Rat	128.2 mg/l, 4 Hours
		82.1 mg/l, 6 Hours
Oral		
LD50	Rat	1187 - 2769 mg/kg
Skin corrosion/irritation	Knowledge about health hazard is incomplete.	
Serious eye damage/eye irritation	Knowledge about health hazard is incomplete.	
Local effects		
Methanol		Eye irritation Result: Negative. Species: Rabbit Skin irritation Result: Negative. Species: Rabbit
Respiratory or skin sensitization		
Respiratory sensitization	Knowledge about health hazard is incomplete.	
Skin sensitization	Knowledge about health hazard is incomplete.	
Methanol		Guinea pig maximization test Result: Negative.
Germ cell mutagenicity	Knowledge about mutagenicity is incomplete.	
Mutagenicity		
Methanol		Ames test (Salmonella typhimurium) Result: Negative (+/- activation) Mutagenicity, Chromosomal aberration assays in yeast and grasshoppers Result: Positive.
Carcinogenicity	Suspected of causing cancer. Nitrosamines are reasonably anticipated to be a human carcinogen based on sufficient evidence of carcinogenicity from studies in experimental animals.	
Methanol		10 - 1000 ppm Carcinogenicity Result: Negative. Species: Rat Test Duration: 18 months

14. Transport information

DOT

UN number	UN1230
UN proper shipping name	Methanol, solution (Methanol RQ = 5005 LBS)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	II
Environmental hazards	
Marine pollutant	No.
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242

IATA

UN number	UN1230
UN proper shipping name	Methanol solution (Methanol)
Transport hazard class(es)	
Class	3
Subsidiary risk	6.1
Packing group	II
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

DOT



IATA



General information

It is the shipper's responsibility to determine the correct transport classification at the time of shipment.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Methanol (CAS 67-56-1)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**SARA 302 Extremely hazardous substance**

Not listed.

SARA 311/312 Hazardous chemical Yes

Classified hazard categories Flammable (gases, aerosols, liquids, or solids)
Acute toxicity (any route of exposure)
Carcinogenicity
Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Methanol	67-56-1	99.9

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Methanol (CAS 67-56-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Contains component(s) regulated under the Safe Drinking Water Act.**US state regulations****US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

Methanol (CAS 67-56-1)

California Proposition 65

WARNING: This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Developmental toxin

Methanol (CAS 67-56-1)

Listed: March 16, 2012

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision**Issue date** 01-30-2024**Version #** 01

Material name: Deutero N-Nitrosodibutylamine (NDBA-d18) Solution

1A05420 Version #: 01 Issue date: 01-30-2024

USP SDS US

8 / 9

Disclaimer

USP materials are sold for analytical laboratory use only, and NOT for human consumption. The information contained herein is applicable solely to the chemical substance when used for analytical laboratory use and does not necessarily relate to any other use of the substance described, (i.e. at different concentrations, in drug dosage forms, or in bulk quantities). USP materials are intended for use by persons having technical skill and at their own discretion and risk. This information has been compiled by USP staff from sources considered to be scientifically reliable but has not been independently verified by USP. USP does not guarantee the accuracy or completeness of the information from these sources included herein nor should the statements contained herein be considered an official expression by USP. USP does not independently create or develop the information included in this safety data sheet. NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE is made with respect to the information contained herein.